



NEVER STOPS



LARGO, ALLEGRO & EVOLUTO 30-45 OIL-INJECTED SCREW COMPRESSORS

ALUP







Your compressor powers your entire production, or at least a significant part. You simply can't afford an air system that doesn't work for you. ALUP's 30-45 kW Largo, Allegro and brand-new Evoluto deliver the reliable and cost-efficient performance that will give you that necessary peace of mind. Thanks to the Evoluto's iPM technology, you even enjoy unrivaled energy savings. Compact and quiet, an ALUP 30-45 kW compressor will be the undemanding, yet powerful heart of your compressor room for years to come.



SUPERIOR BUILD

- Updated, small footprint to save space and reduce noise levels.
- Reliable operation, even in ambient temperatures of up to 46°C.
- The IP66-enclosed drive train provides dependable performance in dusty and humid conditions.
- Maintenance-free components ensure higher uptime and productivity.
- iPM direct drive guarantees premium reliability.



LOW COST OF OWNERSHIP

- On average 30% smaller footprint than most competitors.
- Up to 45% energy savings with the Evoluto's IE4 iPM motor.
- Integrated direct drive transmission allows for minimal losses.
- Advanced Airlogic²T touchscreen controller maximizes performance and efficiency.



A COMPLETE OFFER



- On average 30% smaller footprint than most competitors

LARGO 31-45 FIXED-SPEED

- Gear drive contributes to high reliability in tough conditions
- Ideal workhorse for compressor rooms with long duty cycle operation



ALLEGRO 31-45 VARIABLE SPEED PERFORMANCE

- Direct drive (30 kW) and gear drive (37-45 kW) ensure slipfree and reliable VSD operation
- Energy savings of up to 35% - High IP cubicle rating for reliable operation
- in tough conditions - Payback within 2 years for upgrade from fixed-speed to VSD



+TCO* SAVINGS

PERFORMANCE SERVICEABILITY

LIFETIME

- Oil-cooled iPM drive train for high performance cooling and best-in-class performance

EVOLUTO 30-37 iPM

- Energy savings of up to 45%
- iPM motor equals IE4 standards
- Payback within 1-2 years for upgrade from fixedspeed to iPM








iPM FOR MAJOR **ENERGY SAVINGS**

Energy takes up more than 70% of the cost of owning and operating a compressor. ALUP's iPM technology was developed to give you significant energy savings. While traditional compressors only have one speed (100% on), iPM compressors adjust their motor speed to follow the fluctuating air demand that most production environments have. As a result, the Evoluto 30-37 delivers up to 45% energy savings. That means you can earn back your choice for the Evoluto in just one to two years. How's that for a financial no-brainer?

PAYBACK IN 1-2 YEARS

FIXED-SPEED

break-even point after 1-2 years



VSD

ICONS



INCREASED UPTIME, POWERED BY ICONS

With the Intelligent CONnectivity System (ICONS), you get data and insights from your machines delivered to your computer, tablet or smartphone.

- Increase the reliability of your machine by identifying problems before they become a threat to the continuity of your production.
- Analyze and optimize your energy consumption and CO₂ emissions.
- Receive high-quality energy reports ensuring the ISO50001 compliance of your site.



2 | LARGO, ALLEGRO & EVOLUTO 30-45 LARGO, ALLEGRO & EVOLUTO 30-45 | 3



ADVANCED TECHNOLOGY FOR BEST-IN-CLASS PERFORMANCE

IN-HOUSE DESIGNED 1E4 EFFICIENCY AND CLASS H INTERIOR PERMANENT MAGNET (iPM) MOTOR:

Maintenance-free; includes innovative oil-cooling technology for optimal performance in up to 46°C.

IN-HOUSE DESIGNED COMPRESSION ELEMENT:

Gives you best-in-class Free Air Delivery and Specific Energy Requirement.



IP54 ELECTRICAL CUBICLE:

Can withstand up to 60°C and is IP54 protected.

DRIVE TRAIN: IP66-rated for complete protection from dust and moisture.


RADIAL FAN: Gives you improved pressure build-up and quiet operation.

A RANGE OF **OPTIONS**

- ightarrow Integrated energy recovery
- → IE4 FIXED-SPEED MOTOR
- → FOOD-GRADE OIL
- \rightarrow FREEZE PROTECTION
- → WSD & ELECTRONIC WATER DRAIN
- ightarrow 8000-hour premium synthetic oil ightarrow heavy-duty pre-filtration
 - \rightarrow ECO6i

MISSION POSSIBLE: ENERGY EFFICIENCY

Energy constitutes by far the biggest cost of owning and operating a compressor. Luckily, there are many options to minimize the energy consumption of your air system. Technologies such as energy recovery can have a huge impact on your bottom line and your environmental footprint, with energy savings of up to 75%. A holistic view of your compressed air system is key. It starts with the selection of efficient technologies when buying your compressor. But it doesn't end there. Monitoring and analyzing your air system as you use it will often reveal optimization opportunities. Your ALUP representative can help you find those savings.





ALUP stands ready to meet all of your compressed air needs: From the ① compressor itself, to 2 air dryers and 3 line filters, 4 oil-water separators, 5 air receiver buffer storage, 6 our own easy-to-install AIRnet piping system, and ① a central controller to manage the entire system.


STATE-OF-THE-ART MONITORING, **CONTROL & CONNECTIVITY**

How do you get the most out of your Largo, Allegro and Evoluto 30-45? It's all about monitoring, control and connectivity. The state-of-the-art Airlogic²T touchscreen controller gives you on-screen and remote insight into the performance of your compressor so you can optimize its efficiency, reliability and lifetime:

- → LARGE 4.3" FULL-COLOR TOUCHSCREEN DISPLAY
- → 30+ LANGUAGES
- → WARNING INDICATIONS AND SHUTDOWN ALARMS
- → SERVICE STATUS AND SCHEDULE INDICATION
- → ONLINE VISUALIZATION OF RUNNING CONDITIONS
- → COMPRESSOR DATA ANALYSIS

ENHANCE YOUR AIR SYSTEM PERFORMANCE WITH THE ECONTROL6i **ECOntrol6i**

Are you operating multiple compressors? The Largo, Allegro and Evoluto 30-45 can be optionally equipped with the **ECOntrol6i** central controller to synchronize your different units. The result: a smooth running air system with a low Total Cost of Ownership.



- Generate energy savings by narrowing the operating pressure band.
- Save on maintenance costs and equalize the running hours of your compressors.
- Monitor and control all compressors from one single touchscreen display.
- Optimize your compressors' performance by operating different control schemes.
- Control compressors of all types and brands.

4 | LARGO, ALLEGRO & EVOLUTO 30-45

LARGO, ALLEGRO & EVOLUTO 30-45 | 5





TECHNICAL SPECIFICATIONS

REQUEST YOUR QUOTATION!



LARGO 31-45

| | Max. working | Reference working | Free | Motor | power | Noise | Cooling | Weight | | | |
|----------|-----------------|----------------------|------|-------------------------|-------|-------|---------|-----------|----------|------|-----|
| Model | pressure | pressure | | reference onditions* | | Motor | power | level *** | air flow | PACK | FF |
| | bar | bar | m³/h | l/s | cfm | kW | hp | db(A) | m³/h | k | g |
| | 7.5 | 7.0 | 350 | 97.1 | 206 | | | | | | |
| LARGO 31 | 8.5 | 8.0 | 321 | 89.3 | 189 | 30 | 40 | 66 | 4900 | 553 | 663 |
| LARGO 31 | 10 | 9.5 | 296 | 82.1 | 174 | 30 | 40 | 00 | 4300 | 333 | 003 |
| | 13 | 12.5 | 265 | 73.7 | 156 | | | | | | |
| | 7.5 | 7.0 | 421 | 117.0 | 248 | | | 68 | 5000 | 654 | |
| LARGO 37 | 8.5 | 8.0 | 405 | 112.6 | 239 | 37 | 50 | | | | 764 |
| LARGO 31 | 10 | 9.5 | 365 | 101.5 | 215 | 31 | 30 | | | | 704 |
| | 13 | 12.5 | 320 | 88.9 | 188 | | | | | | |
| | 7.5 | 7.0 | 491 | 136.3 | 289 | | | 70 | 7950 | | |
| LARGO 45 | 8.5 | 8.0 | 455 | 126.5 | 268 | 45 | 60 | | | 669 | 787 |
| LANGO 43 | 10 | 9.5 | 419 | 116.4 | 246 | 73 | 00 | | 1330 | | 101 |
| | 13 | 12.5 | 377 | 104.8 | 222 | | | | | | |

ALLEGRO 31-45

| | Min. working | Reference working | g Motor power | | Min. FAD** | | Free Air Delivery @ reference conditions** | | | | Max. FAD** | | Noise level *** | Cooling air flow | Weight | |
|------------|-----------------|----------------------|------------------|----|------------|-----|--|-----|---------|-----|------------|-----|--------------------|---------------------|--------|-----|
| Model | pressure | pressure | | | | | 7 bar | | 9.5 bar | | 12.5 bar | | | | PACK | FF |
| | bar | bar | kW | hp | m³/h | l/s | m³/h | l/s | m³/h | l/s | m³/h | l/s | db(A) | m³/h | k | g |
| ALLEGRO 31 | 4 | 13 | 30 | 40 | 65 | 18 | 335 | 93 | 295 | 82 | 248 | 69 | 66 | 4900 | 528 | 638 |
| ALLEGRO 37 | 4 | 13 | 37 | 50 | 115 | 32 | 410 | 114 | 364 | 101 | 281 | 78 | 68 | 5000 | 678 | 788 |
| ALLEGRO 45 | 4 | 13 | 45 | 60 | 115 | 32 | 486 | 135 | 425 | 118 | 371 | 103 | 70 | 7950 | 708 | 815 |

EVOLUTO 30-37

| | | Min. working | Reference working | Motor power | | Min. FAD** | | Free Air | | | | Max. FAD** | | Noise level *** | Cooling air flow | Weight | |
|---------|------|-----------------|----------------------|----------------|----|------------|------|----------|------|------|-------|------------|------|--------------------|---------------------|--------|-----|
| Mode | t | pressure | pressure | | | 7 b | ar | 7 k | ar | 9.5 | bar | 12.5 bar | | | | PACK | FF |
| | | | bar | kW | hp | m³/h | l/s | m³/h | l/s | m³/h | l/s | m³/h | l/s | db(A) | m³/h | k | g |
| EVOLUTO | O 30 | 4 | 13 | 30 | 40 | 51 | 14.1 | 356 | 98.9 | 305 | 84.8 | 251 | 69.6 | 66 | 4900 | 503 | 621 |
| EVOLUTO | 37 | 4 | 13 | 37 | 50 | 95 | 26.4 | 428 | 119 | 377 | 104.6 | 303 | 84.3 | 68 | 7750 | 537 | 655 |

- * Unit performance measured according to ISO 1217, Annex C, latest edition
 ** Unit performance measured according to ISO 1217, Annex E, latest edition
- *** Noise level measured according to ISO 2151 2004.

DIMENSIONS

| | Length | Width | Height |
|------|--------|-------|--------|
| | mm | mm | mm |
| Pack | 1555 | 830 | 1555 |
| FF | 2030 | 830 | 1555 |

ALUP'S HERITAGE

Founded in Germany in 1923, ALUP derives its name from the automotive products that were manufactured in the mechanical workshop in Köngen where the company came into existence: Auto-Luft-Pumpen. ALUP developed its first piston compressor just two years later. In 1980, rotary screw compressors were added to its product range.

The experience and expertise the company gained each year, coupled with a spirit of innovation, has led to today's high-quality product offer. The name ALUP Kompressoren has become synonymous with innovative technology blended with a strong sense of tradition. To this day, ALUP Kompressoren is operating out of the heart of Baden-Württemberg, where it all began nearly a century ago.

DRIVEN BY TECHNOLOGY, **DESIGNED BY EXPERIENCE**

Discover what happens when passion for technology meets hands-on industrial experience: Designs that are easier to install and maintain, allowing you to focus on your job. Our extensive product range features the right machine for you – including the options that meet your performance requirements perfectly. High energy efficiency ensures return on investment and reduces your carbon footprint. And, because customer proximity is one of our hallmarks, you will always be one step ahead when your needs change.

Innovative technology

First rotary Germany compressor screw compressors

6 I LARGO, ALLEGRO & EVOLUTO 30-45



Contact your local ALUP Kompressoren representative



Care

Care is what service is all about: professional service by knowledgeable people, using high-quality original parts.

Trust

Trust is earned by delivering on our promises of reliable, uninterrupted performance and long equipment lifetime.

Efficiency

Equipment efficiency is ensured by regular maintenance. Efficiency of the service organization is how Original Parts and Service make the difference.



