

# AIR COMPRESSORS

COAXIAL AND BELT-DRIVEN RECIPROCATING COMPRESSORS

Compressori a Pistoni Coassiali e Traino Cinghia



جهان کمپرسور ۱۳۶۲



Industry



Professional



Automotive



Building



Wood



MedicAir












FreeTime

## Upute i certifikati | Instructions and certifications

## Simboli u tabelama:

## Key to table's symbols:

	Kod proizvoda Product code
	Naziv proizvoda Product name
	Snaga elektromotora Power
	Usisani zrak In-taken air
	Max pritisak Max. pressure
	Mjere ambalaže Pack. dimension
	Ukupna težina Total weight
	Promjer x visina Diameter x height
	Cijena Euro Price in Euro

## Oznaka proizvoda:

## Products nomenclature:

<b>OL</b>	Bezuljni kompresori Oilless compressor pump
<b>SKM</b>	Jednostepeni s "V" cilindrima "V" single-stage compressor pump
<b>SF</b>	Jednostepeni kompresori Single-stage compressor pump
<b>MK</b>	Jednostepeni kompresori Single-stage compressor pump
<b>BK</b>	Dvostepeni kompresori Double-stage compressor pump
<b>VKM</b>	Jednostepene pumpe s "V" cilindrima "V" single-stage compressor pump
<b>BKV</b>	Dvostepene pumpe s "V" cilindrima "V" double-stage compressor pump
<b>B</b>	Kompresorske baze Base plate compressor pump
<b>F</b>	Stacionarni kompresori Stationary compressor
<b>V</b>	Kompresori s vertikalnim spremnikom Compressor with vertical tank
<b>PULSAR</b>	Tihi kompresor Silenced compressor
<b>SA</b>	Bez elektro-opreme Without electric equipment
<b>T</b>	Kompresori s tajmerom Compressor with timer
<b>TA</b>	Upravljanje trokut-zvijezda Automatic star-delta compressor
<b>ES</b>	Kompresor sa sušacem Compressor with dryer

Kompresori FINI se isporučuju u dvije izvedbe: s kotačima i bez njih.

Ovo su oznake ovih verzija:

**Fini compressors are available in two versions: on wheels or stationary. Here the main features of these two versions.**

**C** = KOTACI / ON WHEELS

**F** = FIKSNO / STATIONARY

	C	F
Ventil sigurnosti, manometar, spremnik Relief valve, manometer, tank	●	●
Nepovratni ventil Check valve	●	●
Odvajanje kondenzata Condensate drain	●	●
Regulator pritiska Pressure reducer	●	—
Radni manometar Operating pressure gauge *	●	—
Rukohvat Handle	●	—
Kotaci Wheels	●	—
Antivibranti Anti-vibration damping feet	—	●

\* Nemaju modeli "semiprofessional" / Not on "semiprofessional" models



Kompresori FINI sukladni su sigurnosnim mjerama prema direktivama:


98/37/CE, 97/23/CE, 2000/14/CE, 73/23/CEE, 89/336/CEE, 87/404/CEE, 93/68/CEE

Fini air compressors complies with the safety requirements of directives:

98/37/EC, 97/23/EC, 2000/14/EC, 73/23/EEC, 89/336/EEC, 87/404/EEC, 93/68/EEC



DIREKTAN POGON   COAXIAL COMPRESSOR PUMPS.....	str	4
S elektromotorom   With electrical motor..	»	5
S benziskim motorom   With petrol engine motor..	»	5
REMEI PRIJENOS   BELT-DRIVEN COMPRESSOR PUMPS.....	str	6
Jednostepeni   Single-stage .....	»	7
Dvostepeni   Double-stage .....	»	7
ULJA   LUBRICANT OILS .....	str	7
"POLUPROFESIONALNI" KOMPRESORI   "SEMIPROFESSIONAL" RANGE COMPRESSORS.....	str	8
Direktan prijenos bezuljni   Oilless coaxial .....	»	8
Direktan prijenos uljni   Lubricated coaxial.....	»	8
PaintAir.....	»	8
Remeni prijenos s cilindrima pod 90°   Belt-driven with cast-iron cylinder V 90°.....	»	9
Remeni prijenos jednostepeni   Belt-driven single-stage..	»	9
Remeni prijenos dvostepeni   Belt-driven double-stage.....	»	9
"PROFESIONALNI" KOMPRESORI   "PROFESSIONAL" RANGE COMPRESSORS .....	str	10
Direktan prijenos bezuljni   Oilless coaxial .....	»	10
Direktan prijenos uljni   Lubricated coaxial .....	»	10
Remeni prijenos jednostepeni "Advanced"   "Advanced" single-stage belt-driven.....	»	11
Remeni prijenos dvostepeni "Advanced"   "Advanced" double-stage belt-driven .....	»	12
Remeni prijenos dvostepeni "Advanced" - Tandem   "Advanced" - Tandem double-stage belt-driven.....	»	12
Baze   Base-plates .....	»	13
Kit za montažu na pod   Floor mounting kit .....	»	13
"PROFESIONALNI" KOMPRESORI SPECIJALNE NAMJENE   "PROFESSIONAL-SPECIAL" RANGE COMPRES.	str	14
Direktan prijenos za specijalne namjene   Coaxial compressors for special applications .....	»	14
"PROFESIONALNI - PNEUMAIR" KOMPRESORI VISOKOG PRITISKA (14 BAR)		
"PROFESSIONAL - PNEUMAIR" RANGE HIGH PRESSURE (203 P.S.I.) COMPRESSORS.....	str.	15
"PROFESIONALNI - PULSAR" TIHI KOMPRESORI		
"PROFESSIONAL - PULSAR" RANGE SILENCED COMPRESSORS.....	str.	16
Direktan prijenos jednostepeni   Coaxial single-stage.....	»	16
Remeni prijenos dvostepeni   Belt-driven double-stage.....	»	16
PRIBOR ZA POSTROJENJA   EQUIPMENTS FOR PLANTS .....	str	17
Vertikalni spremnik   Vertical tanks .....	»	17
Odvajač kondenzata  Condensate drain .....	»	17
Tlačne sklopke  Bipolar and three-pole pressure switch .....	»	17
Upravljački ormarići  Overload cut-out .....	»	17
Zvijezda-trokut starteri   Star-delta starters .....	»	17



Rad na ovom sistemu ucinio je FINI poznatim u svijetu i naziva se : "direktan pogon". Radilica i osovina motora su napravljeni kao jedan dio

Prednosti:

- maksimalna mehanicka iskorisitvost
- smanjen br pokretnih dijelova,
- n

Svi direktni pogoni imaju slijedeće karakteristike:

- odlična iskorisitvost prisilne ventilacije
  - ventili od specijalnog nerđajućeg čelika.
- Bezuljni i uljni modeli s direktnim pogonom se mogu dobiti sa snagom od 0,48 do 3 kW.

*Work on that system that made Fini famous all over the world, the so called "direct coaxial drive". Crankshaft and driving shaft belong to the same element, thus:*

- maximizing mechanical efficiency,
- requiring no drive members,
- exposing no moving parts.

*All coaxial models share the following features:*

- top efficiency conveyed ventilation,
- special stainless steel reed valves.

*Lubricated and oilless models available from 0.65 to 4 HP.*

#### BEZULJNI | OILLESS






	OL 102	OL 185	OL 202	OL 230	MK 150/S	VKM 300/S
Izlazni hladnjak <i>Final cooler</i>	✓	–	✓	✓	✓	✓
Zaštita motora <i>Manual overload cutout</i>	✓	✓	✓	✓	✓	✓
Klipnjaca s ležajima <i>Connecting rods feature bearings</i>	✓	✓	✓	✓	✓	✓

#### ULJNI | LUBRICATED

	SF 2500	MK 85-15	MK 100	MK 105	MK 215	MK 265	MK 285	MK 312	VKM 362	VKM 392	VKM 402	VKM 582	VKM 592
Izlazni hladnjak <i>Final cooler</i>	–	–	–	–	–	✓	✓	✓	✓	✓	✓	✓	✓
Zaštita motora <i>Manual overload cutout</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Klipnjaca s ležajima <i>Connecting rods feature roller bearings</i>	–	–	–	–	–	–	–	–	✓	✓	✓	✓	✓
Lijevani cilindri <i>Cast-iron cylinder runnedin</i>	✓	–	–	–	✓	✓	✓	✓	✓	✓	–	✓	–
Aluminijski cilindri <i>Aluminium cylinder runnedin</i>	–	✓	✓	✓	–	–	–	–	–	–	✓	–	✓

Direktan pogon | Coaxial compressor pumps

## S ELEKTRO-MOTOROM | WITH ELECTRICAL MOTOR

Codice Code	Prodotto Product												€ Euro
		kW	HP	l/min.	m <sup>3</sup> /h	c.f.m.	bar	p.s.i.	L x D x H (cm)	kg	Lbs		
<b>ULJNI MONOFAZNI   SINGLE-PHASE LUBRICATED</b>													
516GS52604	MK 85/15 - 0.75M	0,6	0,75	85	5,1	3	14	203	35 x 19 x 30	11	24,3		
516GE93604	MK 100 - 0.65M	0,5	0,65	100	6	3,5	8	116	35 x 19 x 30	9,5	20,9		
516GA29604	MK 105 - 0.75M	0,6	0,75	105	6,3	3,7	8	116	35 x 19 x 30	12	26,5		
516CM02605	MK 215 - 1.5M <b>NEW</b>	1,1	1,5	205	12,3	7,2	10	145	38 x 20,5 x 30	13	28,6		
516HN16604	MK 212 - 1.5M	1,1	1,5	200	12	7	10	145	38 x 20,5 x 30	13	28,6		
516HQ21604	SF 2500 - 2M <b>NEW</b>	1,5	2	185	11	6,5	8	116	38 x 20,5 x 30	13	28,6		
516CN01605	MK 265 - 2M <b>NEW</b>	1,5	2	250	15	8,8	10	145	38 x 20,5 x 30	13	28,6		
516HZ16604	MK 262 - 2M	1,5	2	245	14,7	8,6	10	145	38 x 20,5 x 30	13	28,6		
516NC02605	MK 285 - 2.5M <b>NEW</b>	1,8	2,5	260	15,6	9,2	10	145	38 x 20,5 x 30	13,5	29,7		
516GZ91604	MK 282 - 2.5M	1,8	2,5	255	15,3	9	10	145	38 x 20,5 x 30	13,5	29,7		
516AG01605	MK 312 - 3M	2,2	3	284	17	10	10	145	42 x 22 x 36	17	37,4		
516HS01604	VKM 362 - 3M	2,2	3	310	18,6	11	10	145	43 x 41 x 35	23	50,7		
516GM93604	VKM 392 - 3M	2,2	3	390	23,4	13,8	10	145	64 x 46 x 45	44	97		
516HU01604	VKM 402 - 3M	2,2	3	400	24	14,1	10	145	43 x 41 x 35	20,5	45,2		
<b>ULJNI TROFAZNI   THREE-PHASE LUBRICATED</b>													
516GE90618	MK 100 - 0.75	0,6	0,75	100	6	3,5	8	116	35 x 19 x 30	9,5	20,9		
516GA23618-622	MK 105 - 1	0,7	1	105	6,3	3,7	8	116	35 x 19 x 30	12	26,4		
516CM02622	MK 215 - 1.5 <b>NEW</b>	1,1	1,5	205	12,3	7,2	10	145	38 x 20,5 x 30	13	28,6		
516HN01618-622	MK 212 - 1.5	1,1	1,5	200	12	7	10	145	38 x 20,5 x 30	13	28,6		
516CN01622	MK 265 - 2 <b>NEW</b>	1,5	2	250	15	8,8	10	145	38 x 20,5 x 30	13	28,6		
516HZ01618-622	MK 262 - 2	1,5	2	245	14,7	8,6	10	145	38 x 20,5 x 30	13	28,6		
516NC02622	MK 285 - 2.5 <b>NEW</b>	1,8	2,5	260	15,6	9,2	10	145	38 x 20,5 x 30	13,5	29,7		
516GZ91618-622	MK 282 - 2.5	1,8	2,5	255	15,3	9	10	145	38 x 20,5 x 30	13,5	29,7		
516AG01618-622	MK 312 - 3	2,2	3	284	17	10	10	145	42 x 22 x 36	17	37,4		
516HS01618-622	VKM 362 - 3	2,2	3	310	18,6	11	10	145	43 x 41 x 35	23	50,7		
516GM93618	VKM 392 - 3	2,2	3	390	23,4	13,8	10	145	64 x 46 x 45	44	97		
516HU01618	VKM 402 - 3	2,2	3	400	24	14,1	10	145	43 x 41 x 35	20,5	45,2		
516GJ25618	VKM 582 - 4	2,9	4	560	33,6	19,8	10	145	45,5x41x35,5	25	55,1		
516GR04618-622	VKM 592 - 4	2,9	4	590	35,4	20,8	10	145	64 x 46 x 45	51	112,4		
<b>BEZULJNI MONOFAZNI   SINGLE-PHASE OILLESS</b>													
516HE15604	OL 102 - 0.75M	0,6	0,75	105	6,3	3,7	8	116	35 x 19 x 30	10	22		
516HP01604	OL 185 - 1.5M	1,1	1,5	179	11	6,3	8	116	35 x 19 x 29	9,5	20,9		
516HB27604	OL 202 - 1.5M	1,1	1,5	200	12	7,1	8	116	35 x 19 x 29	9,5	20,9		
516HX01604	OL 230 - 2M	1,5	2	215	12,9	7,6	8	116	38 x 20,5 x 30	11	24,3		
516GQ31604	MK 150/S - 1.5M	1,1	1,5	150	9	5,3	8	116	42 x 22 x 36	15,5	34,2		
516HI31604	VKM 300/S - 2.5M	1,8	2,5	300	18	10,6	8	116	45,5x41x35,5	24	52,9		
<b>BEZULJNI TROFAZNI   THREE-PHASE OILLESS</b>													
516HI31675	VKM 300/S - 2.5	1,8	2,5	300	18	10,6	8	116	45,5x41x35,5	24	52,9		
516HI31676	VKM 300/S - 2.5	1,8	2,5	300	18	10,6	8	116	45,5x41x35,5	24	52,9		



MK 105



SF 2500



VKM 392



MK 285



VKM 362-3








OL 185



VKM 300-S

## S BENZINSKIM MOTOROM | WITH PETROL ENGINE

Codice Code	Prodotto Product												€ Euro
		kW	HP	l/min.	m <sup>3</sup> /h	c.f.m.	bar	p.s.i.	L x D x H (cm)	kg	Lbs		
516HH01000	MK 236 - 4S HONDA	2,9	4	235	14,1	8,3	10	145	36 x 40 x 38	19	41,8		



MK 236-S



MK 113

SKM 14

Karakteristike ovih modela su:

- cilindri s velikim rebrima za dobro hlađenje,
- dobro izbalansirane lijevane klipnjače
- ventili od nerđajućeg čelika s velikim brojem prolaza za zrak
- prisilna ventilacija
- remenica kao ventilator za hlađenje
- visoko-účinski usisni filteri s labirintima za smanjenje buke

Mogući su slijedeći modeli:

- jednostepeni snage od 0,75 do 4 kW
- dvostepeni snage od 3 do 7,5 kW
- dvostepeni "V" snage od 11 do 15 kW

Outstanding features of these assemblies are:

- head-cylinder system with large fins for optimal heat dissipation,
- carefully balanced cast-iron crankshaft for improved stability,
- stainless steel valves with a high number of air passages,
- ventilation conveyer
- concentrated air flow high capacity flywheel,
- top efficiency intake filter with labyrinth for noise minimization.

The following models are available:

- single stage from 1 to 5.5 HP,
- double stage from 4 to 10 HP,
- V-shaped and double stage, from 15 to 20 HP.

	JEDNOSTEPENI   <b>SINGLE-STAGE</b>							D VOSTEPENI   <b>DOUBLE-STAGE</b>			
	SKM 10	SKM 12	SKM 14	MK 101	MK 102	MK 103	MK 113	BK 113	BK 119	BK 20	BKV 40
Izlazni hladnjak <i>Final cooler</i>	-	-	-	-	✓	✓	✓	✓	✓	✓	✓
Medju-hladnjak <i>Intermediate cooler</i>	-	-	-	-	-	-	-	✓	✓	✓	✓
Zaštita <i>Air duct</i>	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓
Prisilna ventilacija <i>Forced ventilation</i>	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓
Ljevani cilindri <i>Cast-iron cylinder runnedin</i>	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓
Aluminijski cilindri <i>Aluminium cylinder runnedin</i>	-	-	-	✓	-	-	-	-	-	-	-
Ventil praznog hoda <i>Idle running valve</i>	-	-	-	-	-	✓	✓	✓	-	-	-
Kont[ola nivoa ulja <i>Oil-Control system</i>	-	-	-	-	-	-	-	-	-	-	✓
Elektro-ventil praznog hoda <i>Idle operation solenoid valve</i>	-	-	-	-	-	-	-	-	-	-	✓

# KLIPNI KOMPRESORI | RECIPROCATING COMPRESSORS

## Remeni prijenos | Belt-driven compressor pumps

### JEDNOSTEPENI | SINGLE-STAGE

Codice Code	Prodotto Product	Icon: Compressor		Icon: Air Flow			Icon: Max Pressure		Icon: Dimensions		Icon: Weight		€ Euro
		kW	HP	l/min.	m <sup>3</sup> /h	c.f.m.	bar	p.s.i.	L x D x H (cm)	kg	Lbs		
<b>ULJNI S LIJEVANIM V CILINDRIMA   LUBRICATED WITH CAST IRON V CYLINDERS</b>													
5131720000	SKM 10	2	2	244	14,64	8.6	9	130.5	32,5x30,5x45	15	33		
5131750000	SKM 12	2	3	323	19,38	11.4	9	130.5	32,5x30,5x45	19	41.8		
5131730000	SKM 14	4	5.5	627	37,62	22.2	9	130.5	41,5 x 37 x 57	26	13.2		
<b>ULJNI S PARALELNIM CILINDRIMA   LUBRICATED WITH PARALLEL CYLINDERS</b>													
5131680200	MK 101	1,5	2	247	14,82	8.7	10	145	26 x 27,5 x 36	8,5	18.7		
5131690200	MK 102	2,2	3	320	19,2	11.3	10	145	26 x 27,5 x 36	8,5	18.7		
5131670200	MK 103	2,2	3	377	22,62	13.3	10	145	26 x 27,5 x 36	9,5	20.9		
5131640000	MK 113	4	5.5	584	35,04	20.6	10	145	32,5x30,5x45	14	30.9		



SKM 12



MK 102

### DVOSTEPENI | DOUBLE-STAGE

Codice Code	Prodotto Product	Icon: Compressor		Icon: Air Flow			Icon: Max Pressure		Icon: Dimensions		Icon: Weight		€ Euro
		kW	HP	l/min.	m <sup>3</sup> /h	c.f.m.	bar	p.s.i.	L x D x H (cm)	kg	Lbs		
<b>ULJNI S PARALELNIM CILINDRIMA   LUBRICATED WITH PARALLEL CYLINDERS</b>													
5131630000	BK 113	2,9	4	430	25,8	15.2	10	145	32,5x30,5x45	16	35.3		
5131780000	BK 114	4,0	5.5	620	37,2	21.9	10	145	41 x 37 x 53	26	57.3		
5131790000	BK 119	5,5	7.5	860	51,6	30.4	10	145	41,5 x 37 x 57	29	63.9		
5131460000	BK 20	7,4	10	1210	72,6	42.8	10	145	55 x 42 x 70	56	123.5		
<b>ULJNI S V CILINDRIMA   LUBRICATED WITH V CYLINDERS</b>													
5131520000	BKV 40 STD	14,7	20	2500	150	88.3	10	145	86 x 60 x 80	116,5	256.8		



BK 119



BKV 40

### ULJA | LUBRICANT OILS

Codice Code	Prodotto Product	€ Euro
600000003	FINOIL MULTIGRADE 1 litro / 1 kg (scatola 24 p.zi)   FINOIL MULTIGRADE 1 lt / 1 kg (24 pcs box)	
600000010	OLIO SYNTENERGY 1 litro / 1 kg (scatola 20 p.zi)   SYNTENERGY OIL 1 lt / 1 kg (20 pcs box) <b>NEW</b>	



SYNTENERGY 1 KG

"Poluprofesionalni" kompresori | "Semiprofesional" range compressors

## BEZULJNI S DIREKTNIM POGONOM | OILLESS COAXIAL



CIAO 6/185



CIAO 25/185

AIR	Codice	Prodotto	kW		HP		AIR			MAX		L x D x H (cm)		kg		Lbs		€
	Code	Product	kW	HP	l/min.	m <sup>3</sup> /h	c.f.m.	bar	p.s.i.	L	D	H	kg	Lbs	Euro			
MONOFAZNI   SINGLE-PHASE																		
-	622HP1A604	Ciao 185	1,1	1.5	179	10,7	6.3	8	116	37,5	21	32	8	17.6				
-	622HP2A604	Ciao 185 + Kit	1,1	1.5	179	10,7	6.3	8	116	48	22	32	8,5	18.7				
6	626HP1A604	Ciao 6/185	1,1	1.5	179	10,7	6.3	8	116	36	26	52,5	12	26.5				
6	626HP2A604	Ciao 6/185 + Kit	1,1	1.5	179	10,7	6.3	8	116	36	26	52,5	13	28.6				
24	617HP3K604	Ciao 25/185	1,1	1.5	179	10,7	6.3	8	116	60,5	26	57	21	46.3				
24	617HP4Z604	Ciao 25/185 + Kit	1,1	1.5	179	10,7	6.3	8	116	63	27	64	23	50.7				
24	617HX1A604	Ciao 25/230 •	1,5	2	215	12,9	7.6	8	116	60,5	26	57	20	44.1				
50	870HX1A604	Ciao 50/230 •	1,5	2	215	12,9	7.6	8	116	83,5	36,5	67	31	68.3				

## ULJNI S DIREKTNIM POGONOM | LUBRICATED COAXIAL



AMICO 25/SF2500

AIR	Codice	Prodotto	kW		HP		AIR			MAX		L x D x H (cm)		kg		Lbs		€
	Code	Product	kW	HP	l/min.	m <sup>3</sup> /h	c.f.m.	bar	p.s.i.	L	D	H	kg	Lbs	Euro			
MONOFAZNI   SINGLE-PHASE																		
24	617HQA1604	Amico 25/SF2500 <b>NEW</b>	1,5	2	185	11,1	6.5	8	116	60,5	26	57	23	50.7				
50	870HQ1C604	Amico 50/SF2500 <b>NEW</b>	1,5	2	185	11,1	6.5	8	116	89	36	74	35	77				

## PAINTAIR 38÷47 dB(A)



PAINTAIR 150/4



PAINTAIR 100/24

AIR	Codice	Prodotto	kW		HP		AIR			MAX		L x D x H (cm)		kg		Lbs		€
	Code	Product	kW	HP	l/min.	m <sup>3</sup> /h	c.f.m.	bar	p.s.i.	L	D	H	kg	Lbs	Euro			
MONOFAZNI   SINGLE-PHASE																		
4	6370010604	PaintAir 150/4 <b>NEW</b>	0,13	0.18	17	1,02	0.6	6	87	47	23	50	22	48.5				
4	6370011604	PaintAir 300/4 <b>NEW</b>	0,19	0.26	25	1,25	0.88	8	116	47	23	50	22,5	49.6				
6	6370012604	PaintAir 500/6 <b>NEW</b>	0,4	0.54	50	3	1.76	8	116	56	32	60,5	29,5	65				
24	6370013604	PaintAir 50/24 <b>NEW</b>	0,4	0.54	50	3	1.76	8	116	49	46	57	31	68				
24	6370014604	PaintAir 100/24 <b>NEW</b>	0,68	0.92	100	6	3.52	8	116	40	78	67	51,5	113.5				

"Poluprofesionalni" kompresori | "Semiprofessional" range compressors

REMENI PRIJENOS S CILINDRIMA POD 90° | BELT-DRIVEN WITH CAST IRON CYLINDER V 90°

AIR	Codice	Prodotto	Compressor		Performance			Pressure		Dimensions		Weight		€
	Code	Product	kW	HP	l/min.	m <sup>3</sup> /h	c.f.m.	bar	p.s.i.	L x D x H (cm)	kg	Lbs	Euro	
<b>MONOFAZNI   SINGLE-PHASE</b>														
100	872XY6P605	Partner 100/10-2M	1,5	2	226	13,6	8	10	145	126 x 46 x 94	79	174		
100	872ZZ6P604	Partner 100/12-3M •	2,2	3	295	17,7	10.4	10	145	126 x 46 x 94	82,5	182		
150	874XY6P605	Partner 150/10-2M •	1,5	2	226	13,6	8	10	145	148 x 48 x 107	90,5	199		
150	874ZZ6P604	Partner 150/12-3M •	2,2	3	295	17,7	10.4	10	145	148 x 48 x 107	93,5	206		
200	876ZZ6P604	Partner 200/12-3M •	2,2	3	295	17,7	10.4	10	145	160 x 52 x 105	107	235		
<b>TROFAZNI   THREE-PHASE</b>														
150	874JJ6P722	Partner 150/12-4 •	3	4	335	20	11.8	10	145	148 x 48 x 107	90,5	199		
200	876JJ6P722	Partner 200/12-4 •	2,9	4	335	20	11.8	10	145	160 x 52 x 105	107	235		
200	876XJ6P722	Partner 200/14-5.5 •	4	5.5	625	37,6	22.2	10	145	160 x 52 x 124	144	317		
270	890XJ6P722	Partner 270/14-5.5 •	4	5.5	625	37,6	22.2	10	145	170 x 56 x 121	159	350		



REMENI PRIJENOS JEDNOSTEPENI | BELT-DRIVEN SINGLE-STAGE

AIR	Codice	Prodotto	Compressor		Performance			Pressure		Dimensions		Weight		€
	Code	Product	kW	HP	l/min.	m <sup>3</sup> /h	c.f.m.	bar	p.s.i.	L x D x H (cm)	kg	Lbs	Euro	
<b>MONOFAZNI   SINGLE-PHASE</b>														
24	668QH6P605	Partner 25/101-2M	1,5	2	245	14,7	8.7	10	145	68 x 34 x 65	39	85.8		
50	870QH6P605	Partner 50/101-2M	1,5	2	245	14,7	8.7	10	145	89 x 36 x 74	47	103		
50	870TI6P604	Partner 50/102-3M •	2,2	3	320	19,2	11.3	10	145	89 x 36 x 74	54	119		
100	872QH6P605	Partner 100/101-2M	1,5	2	245	14,7	8.7	10	145	118 x 46 x 94	67	147		
100	872TI6D604	Partner 100/102-3M •	2,2	3	320	19,2	11.3	10	145	118 x 46 x 94	72	158		
150	874QH6P605	Partner 150/101-2M •	1,5	2	245	14,7	8.7	10	145	148 x 48 x 107	68	149		
150	874TI6P604	Partner 150/102-3M	2,2	3	320	19,2	11.3	10	145	148 x 48 x 107	88	193		
200	876TI6P604	Partner 200/102-3M •	2,2	3	320	19,2	11.3	10	145	160 x 52 x 105	105	231		
<b>TROFAZNI   THREE-PHASE</b>														
50	870QH6P722	Partner 50/101-2	1,5	2	245	14,7	8.7	10	145	89 x 36 x 74	47	103		
100	872QH6P722	Partner 100/101-2	1,5	2	245	14,7	8.7	10	145	118 x 46 x 94	67	147		
100	872XW6P722	Partner 100/103-4	3	4	425	25,5	15	10	145	118 x 46 x 94	72	158		
150	874TI6P722	Partner 150/102-3	2,2	3	320	19,2	11.3	10	145	148 x 48 x 107	88	193		
150	874XW6P722	Partner 150/103-4	3	4	420	25,2	14.8	10	145	148 x 48 x 107	91	200		
200	876TI6P722	Partner 200/102-3 •	2,2	3	320	19,2	11.3	10	145	160 x 52 x 105	105	231		
200	876XW6P722	Partner 200/103-4	3	4	420	25,2	14.8	10	145	160 x 52 x 105	108	237		
200	876QQ6P722	Partner 200/113M-5.5	4	5.5	525	37,6	22.2	10	145	160 x 52 x 105	121	266		
270	890XW6P722	Partner 270/103-4	3	4	420	25,2	14.8	10	145	170 x 56 x 121	122	268		
270	890QQ6P722	Partner 270/113M-5.5	4	5.5	525	37,6	22.2	10	145	170 x 56 x 121	136	299		



REMENI PRIJENOS DVOSTEPENI | BELT-DRIVEN DOUBLE-STAGE

AIR	Codice	Prodotto	Compressor		Performance			Pressure		Dimensions		Weight		€
	Code	Product	kW	HP	l/min.	m <sup>3</sup> /h	c.f.m.	bar	p.s.i.	L x D x H (cm)	kg	Lbs	Euro	
<b>TROFAZNI   THREE-PHASE</b>														
270	890QO6P722	Partner 270/113B-5.5 •	4	5.5	500	30	17.7	10	145	170 x 56 x 121	146	321		
270	890IQ6P722	Partner 270/119-7.5	6	7.5	621	37,3	22	10	145	170 x 56 x 134	156	343		
500	883IQ6P722	Partner 500F/119-7.5 *	5,5	7.5	621	37,3	22	10	145	208 x 70 x 145	221	486	2.085,00	





"Profesionalni" kompresori | "Professional" range compressors

REMENI PRIJENOS JEDNOSTEPENI "ADVANCED" | □ ADVANCED □ SINGLE-STAGE BELT-DRIVEN

AIR t	Codice	Prodotto	kW   HP		AIR l/min.   m <sup>3</sup> /h   c.f.m.			MAX bar   p.s.i.		L x D x H (cm)		kg   lbs		€
	Code	Product											Euro	
MONOFAZNI NA KOTAČIMA   SINGLE-PHASE ON WHEELS														
50	870TH1Q605	MK 102-50-2M	1,5	2	235	14,1	8.3	10	145	89 x 36 x 74	52	114.6		
50	870QA1Q604	MK 103-50-3M •	2,2	3	365	21,9	12.9	10	145	89 x 36 x 74	55	121.3		
90	673TH1A605	MK 102-100CV-2M ▲	1,5	2	235	14,1	8.3	10	145	67 x 80 x 115	75	165.3		
90	673QA1A604	MK 103-100CV-3M ▲	2,2	3	365	21,9	12.9	10	145	67 x 80 x 115	79	174.2		
100	872TH1Q605	MK 102-100-2M	1,5	2	235	14,1	8,3	10	145	118 x 46 x 94	70	154.3		
100	872QA1Q604	MK 103-100-3M •	2,2	3	365	21,9	12.9	10	145	118 x 46 x 94	75	165.3		
150	874TH1Q605	MK 102-150-2M •	1,5	2	235	14,1	8.3	10	145	148 x 48 x 107	85	187.4		
150	874QA1Q604	MK 103-150-3M •	2,2	3	365	21,9	12.9	10	145	148 x 48 x 107	109	240.3		
200	876QA1Q604	MK 103-200-3M	2,2	3	365	21,9	12.9	10	145	160 x 52 x 105	109	240.3		
270	890QA1Q604	MK 103-270-3M •	2,2	3	365	21,9	12.9	10	145	170 x 56 x 121	122	269		
TROFAZNI NA KOTAČIMA   THREE-PHASE ON WHEELS														
50	870QA1Q722	MK 103-50-3 •	2,2	3	365	21,9	12.9	10	145	89 x 36 x 74	55	121.3		
90	673TH1A722	MK 102-100CV-2 ▲	1,5	2	235	14,1	8.3	10	145	67 x 80 x 115	75	165.3		
90	673QA1A722	MK 103-100CV-3 ▲	2,2	3	365	21,9	12.9	10	145	67 x 80 x 115	79	174.2		
100	872TH1Q722	MK 102-100-2	1,5	2	235	14,1	8.3	10	145	118 x 46 x 94	70	154.3		
100	872QA1Q722	MK 103-100-3 •	2,2	3	365	21,9	12.9	10	145	118 x 46 x 94	75	165.3		
100	872QB1A722	MK 113-100-4 •	3	4	500	30	17.7	10	145	126 x 46 x 101	89	196.2		
100	872QC1A722	MK 113-100-5.5 •	4	5.5	556	33,4	19.6	10	145	126 x 46 x 101	94	207.2		
150	874TH1Q722	MK 102-150-2 •	1,5	2	235	14,1	8.3	10	145	148 x 48 x 107	85	187.4		
150	874QA1Q722	MK 103-150-3 •	2,2	3	365	21,9	12.9	10	145	148 x 48 x 107	91	200.6		
150	874QB1A722	MK 113-150-4 •	3	4	500	30	17.7	10	145	148 x 48 x 107	104	229.3		
150	874QC1A722	MK 113-150-5.5 •	4	5.5	556	33,4	19.6	10	145	148 x 48 x 107	111	244.7		
200	876QA1Q722	MK 103-200-3	2,2	3	365	21,9	12.9	10	145	160 x 52 x 105	107	235.9		
200	876QB1A722	MK 113-200-4	3	4	500	30	17.7	10	145	160 x 52 x 105	121	266.8		
200	876QC1A722	MK 113-200-5.5 •	4	5.5	556	33,4	19.6	10	145	160 x 52 x 105	125,5	276.7		
270	890QA1Q722	MK 103-270-3	2,2	3	365	21,9	12.9	10	145	170 x 56 x 121	122	269		
270	890QB1A722	MK 113-270-4	3	4	500	30	17.7	10	145	170 x 56 x 121	136	299.8		
270	890QC1A722	MK 113-270-5.5	4	5.5	556	33,3	19.6	10	15	170 x 56 x 121	142	313.1		



MK 103-50-3M



MK 102-100-2M



MK 102-90CV-2M



MK 113-270-4

REMENI PRIJENOS JEDNOSTEPENI "ADVANCED" | "ADVANCED" SINGLE-STAGE BELT-DRIVEN

AIR t	Codice	Prodotto	kW   HP		AIR l/min.   m <sup>3</sup> /h   c.f.m.			MAX bar   p.s.i.		L x D x H (cm)		kg   lbs		€
	Code	Product											Euro	
MONOFAZNI STACIONARNI   STATIONARY SINGLE-PHASE														
200	877QA1Q722	MK 103-200F-3 •	2,2	3	365	21,9	12.9	10	145	160 x 52 x 124	107,5	237		
200	877QC1A722	MK 113-200F-5.5 •	4	5.5	556	33,4	19.6	10	145	160 x 52 x 124	125,5	276.7		
270	891QA1Q722	MK 103-270F-3 •	2,2	3	365	21,9	12.9	10	145	170 x 56 x 121	128	282.2		
270	891QB1A722	MK 113-270F-4 •	3	4	500	30	17.7	10	145	170 x 56 x 134	131	288.8		
270	891QC1A722	MK 113-270F-5.5 •	4	5.5	556	33,3	19.6	10	15	170 x 56 x 134	143	315.3		



MK 103-270F-3

▲ Vertikalni spremnik | Vertical tank.





"Profesionalni" kompresori specijalne izvedbe - "Professional - Special" range compressors

DIREKTAN PRIJENOS ZA POSEBNE NAMJENE | COAXIAL COMPRESSORS FOR SPECIAL APPLICATIONS

AIR	Codice	Prodotto	kW HP		V/min. m³/h		c.f.m.		MAX	L x D x H (cm)	kg Lbs		€
	Code	Product						bar	p.s.i.				Euro
<b>OLILESS SINGLE-PHASE</b>													
2,4	604HE1A604	Shuttle OL102 M •	0,6	0.75	105	6,3	3,7	8	116	54 x 33 x44	20	44.1	
<b>LUBRICATED SINGLE-PHASE</b>													
2,4	604CM1A605	Shuttle 215M <b>NEW</b>	1,1	1.5	205	12,3	7.2	10	145	54 x 33 x 44	23	50.6	
2,4	604HN1A604	Shuttle 212M	1,1	1.5	200	12	7	10	145	54 x 33 x 44	23	50.6	
2,4	604GS1A604	Shuttle 15M	0,6	0.75	85	5,1	3	14	203	54 x 33 x 44	23	50.6	
9,5	601CM1A605	Pioneer 215M <b>NEW</b>	1,1	1.5	205	12,3	7.2	10	145	42 x 36 x 70	23	50.6	
9,5	601HN1A604	Pioneer 212M	1,1	1.5	200	12	7	10	145	42 x 36 x 70	23	50.6	
9,5	601CN1A605	Pioneer 265M <b>NEW</b>	1,5	2	250	15	8.8	10	145	42 x 36 x 70	24	52.8	
18	602HZ2A604	JobAir 262M •	1,5	2	245	14,7	8.7	10	145	50 x 47 x 76	36	79.4	
18	602GZ2A604	JobAir 282M •	1,8	2.5	255	15,3	9	10	145	50 x 47 x 76	36	79.4	
18	602AG2A604	JobAir 312M	2,2	3	285	17,1	10	10	145	50 x 47 x 76	36	79.4	
18	605GZ1A604	Warrior 282M •	1,8	2.5	255	15,3	9	10	145	62 x 62 x 56	43	94.8	
18	605NC1A605	Warrior 285M • <b>NEW</b>	1,8	2.5	260	15,6	9.2	10	145	62 x 62 x 56	47	103	
18	605HS1A604	Warrior 362M	2,2	3	310	18,6	11	10	145	62 x 62 x 56	49	108	
18	605HU1A604	Warrior 402M	2,2	3	400	24	14	10	145	62 x 62 x 56	48	105.8	
18	605HS2A604	CraftAir 362M •	2,2	3	310	18,6	11	10	145	62 x 62 x 56	48	105.8	
18	605HU2A604	CraftAir 402M •	2,2	3	400	24	14	10	145	62 x 62 x 56	48	105.8	
20	602HZ1A604	BigPioneer 262M •	1,5	2	245	14,7	8.6	10	145	55 x 42 x 84	33	72.7	
20	602CN1A605	BigPioneer 265M • <b>NEW</b>	1,5	2	250	15	8.8	10	145	55 x 42 x 84	35	77	
20	602GZ1A604	BigPioneer 282M •	1,8	2.5	255	15,3	9	10	145	55 x 42 x 84	35	77	
20	602NC1A605	BigPioneer 285M • <b>NEW</b>	1,8	2.5	260	15,6	9.2	10	145	55 x 42 x 84	35	77	
20	602AG1A604	BigPioneer 312M •	2	3	284	17	10	10	145	55 x 42 x 84	36	79.4	
20	602HS1A604	BigPioneer 362M •	2,2	3	310	18,6	11	10	145	55 x 42 x 84	41	90.4	
20	602HU1A604	BigPioneer 402M	2,2	3	400	24	14	10	145	55 x 42 x 84	42	92.6	
20	605GM1A604	Warrior 392M	2,2	3	390	23,4	13.8	10	145	82 x 55 x 89	94	207.2	
20	605GR45604	BuildAir W592M •	3	4	590	35,4	20.8	8	116	82 x 55 x 89	88	194	
<b>LUBRICATED THREE-PHASE</b>													
20	602HS1A722	BigPioneer 362 •	2,2	3	310	18,6	11	10	145	55 x 42 x 87	41	90.4	
20	602HU1A722	BigPioneer 402 •	2,2	3	400	24	14	10	145	55 x 42 x 87	42	92.6	
20	605GR1A722	Warrior 592	3	4	590	35,4	20.8	10	145	82 x 55 x 89	88	194	
<b>"Honda"   WITH "Honda" PETROL ENGINE</b>													
9,5	601HH1A000	Pioneer 236-4S •	3	4	235	14	8.3	10	145	46 x 45 x 75	35	77.2	
20	605QF1A000	Warrior 102-4S •	3	4	320	19,2	11.3	10	145	82 x 55 x 89	89	196.2	
20	605QE3A000	Warrior 103-5.5S •	4	5.5	363	21,8	12.8	10	145	82 x 55 x 89	84	185.2	
100	872QF1A000	MK 102-100-4S •	3	4	320	19,2	11.3	10	145	126 x 46 x 114	114	251.3	
100	872QE1A000	MK 103-100-5.5S •	4	5.5	365	21,9	12.9	10	145	126 x 46 x 114	102	224.9	
100	872QD1A000	MK 113-100-9S •	6,6	9	556	33,4	19.6	10	145	126 x 46 x 114	115	253.5	
<b>SCREW COMPRESSOR WITH ELECTRICAL MOTOR</b>													
3,5	631PC1A722	BuildAir 500 •	4	5.5	450	27	15.9	8	116	114 x 71 x 101	151,5	333	
3,5	631KY9J922	BuildAir 1000 •	7,5	10	1010	60,6	35.7	8	116	114 x 71 x 101	177	389	
<b>SCREW COMPRESSOR WITH PETROL ENGINE MOTOR</b>													
3,5	631KK9J000	BuildAir 1500 •	15	20	1500	90	53	8	116	114 x 71 x 101	231	509.3	



SHUTTLE 15M



JOB AIR 312M



WARRIOR 402M



BIG PIONEER 285M



WARRIOR 592



WARRIOR 102-4S




BUILD AIR 1500





VERTIKALNI SPREMNIK  
VERTICAL TANKS

	Codice Code	Ø x H (cm)	€ Euro
150	662N150010	42 x 125	
270	662N270010	60 x 180	
500	662N500010	60 x 207	
720	6620720001	75 x 202	
900	6620900001	80 x 200	
<b>VISOKI PRITISAK   HIGH PRESSURE</b>			
300AP	662N300010	60 x 180	
500AP	6620500040	60 x 207	
1000AP	6621000013	80 x 230	

TLAČNE SKLOPKE  
REMOTE PRESSURE SWITCHES

Codice Code	Descrizione Description	€ Euro
305142000	TP.MDR3EA11 R3-4	
305143000	TP.MDR3EA11 R3-6,3	
305144000	TP.MDR3EA11 R3-10	
305145000	TP.MDR3EA11 R3-16	
305146000	TP.MDR3EA11 R3-20	
305147000	TP.MDR3EA11 R3-24	
305190000	TP.MDR3EA16 R3-20	

ODVAJAČ KONDENZATA  
CONDENSATE DRAIN


Codice Code	Prodotto Product	€ Euro
548307000	SAC 120	

UPRAVLJAČKI ORMARIĆ SA ZAŠTITOM  
MAGNETIC OVERLOAD CUT-OUT

Codice Code	Descrizione Description	€ Euro
<b>ZA 1 MOTOR   FOR 1 ELECTRIC MOTOR</b>		
305005718	TS4 (230V)	
305018718	TS6 (230V)	
305005722	TS4/6 (400V)	
305008718	TS7 (230V)	
305009718	TS10 (230V)	
305008722	TS7/10 (400V)	
<b>ZA 2 MOTORA   FOR 2 ELECTRIC MOTORS</b>		
305017718	TS44 (230V)	
305012718	TS66 (230V)	
305017722	TS44/66 (400V)	

TLAČNA SKLOPKA MONOFAZNA  
BIPOLAR PRESSURE SWITCHES

Codice Code	Descrizione Description	€ Euro
321027000	1WAY	
321028000	4WAY	
321053000	4WAY	
321051000	3WAY	
321019000	1WAY	
321020000	4WAY	
321055000	4WAY	
321071000	4WAY	

ZVIJEZDA-TROKUT STARTER  
AUTOMATIC STAR-DELTA STARTERS

Codice Code	Descrizione Description	€ Euro
<b>ZA 1 MOTOR   FOR 1 ELECTRIC MOTOR</b>		
305052918	TST6 (230V)	
305052922	TST6 (400V)	
305034918	TST7 (230V)	
305034922	TST7 (400V)	
305024918	TST10 (230V)	
305024922	TST10 (400V)	
305011918	TST15 (230V)	
305011922	TST15 (400V)	
305149918	TST15 (230V)	
305149922	TST15 (400V)	
305085918	TST20 (230V)	
305085922	TST20 (400V)	
<b>ZA 2 MOTORA   FOR 2 ELECTRIC MOTORS</b>		
305045918	TST66 (230V)	
305050918	TST77 (230V)	
305045922	TST66/77 (400V)	
305031918	TST1010 (230V)	
305031922	TST1010 (400V)	
305016918	TST1515 (230V)	
305016922	TST1515 (400V)	
305086918	TST2020 (230V)	
305086922	TST2020 (400V)	

TLAČNA SKLOPKA TROFAZNA  
THREE-POLE PRESSURE SWITCHES

Codice Code	Descrizione Description	€ Euro
321001000	Rp 1/4"	
321021000	Rp 1/4"	
321004000	Rp 1/4"	

UPRAVLJAČKI ORMARIĆ SA ZAŠTITOM  
MAGNETIC OVERLOAD CUT-OUT

Codice Code	Descrizione Description	€ Euro
305017818	TS44T (230V)	
305012818	TS66T (230V)	
305017822	TS44T/66T (400V)	
305013818	TS77T (230V)	
305013822	TS77T (400V)	
305015818	TS1010T (230V)	
305015822	TS1010T (400V)	