

Atlas Copco Stationary Air Compressors

GA 315 50 Hz, GA 355, GA 400, GA 450, GA 500
GA 315 W 50 Hz, GA 355 W, GA 400 W, GA 450 W, GA 500 W

Parts list

تاسیس ۱۳۶۲
جهان کمپرسور
خدمات معتبر
Jahan Compressor
Since 1983

- Copyright 2006, Atlas Copco Airpower n.v., Antwerp, Belgium.
  Any unauthorized use or copying of the contents or any part thereof is prohibited. This applies in particular to trademarks, model denominations, part numbers and drawings.
- **Use only authorized parts.** Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.

No. 1092 0299 00

Ed. 01

Registration code: APC GA ≥ 90 / 39

2008-04

www.atlascopco.com

Atlas Copco

Contents
Inhoud
Innehåll
Inhaltsverzeichnis
Table des matières
Indice

Indice
Innholdsfortegnelse
Indice
Indholdsfortegnelse
Sisällysluettelo

Drive arrangement
Aandrijfuitvoering
Drivarrangemang
Antriebsanordnung
Dispositif d'entraînement
Disposición de accionamiento
Disposizione di azionamento
Arrangement
Disposição de accionamento
Drivarrangement
Rakenne 1

Unloading valve
Ontlastventiel
Avlastningsventil
Entlastungsventil
Soupape de décharge
Válvula de descarga
Valvola di messa a vuoto
Aflastningsventil
Válvula de descarga
Avlastningsventil
Kevennysventtiili 2

Air inlet
Luchtinlaat
Luftintag
Lufteinlaß
Admission d'air
Entrada de aire
Presa d'aria
Luftindsug
Admissão de ar
Luftinnløp
Tuloilma

- Basic 3
- Heavy duty filter 4

Air receiver
Luchtketel
Luftbehållare
Luftbehälter
Réservoir d'air
Depósito de aire
Serbatoio dell'aria
Luftbeholder
Reservatório de ar
Luftbeholder
Ilmasäiliö 5

Air flow
Luchtstroming
Luftflöde
Luftstrom
Flux d'air
Flujo de aire
Flusso d'aria
Luftflow
Fluxo de ar
Luftstrøm
Ilman virtaus

- GA (W) 6

Air outlet
Luchtuitlaat
Luftutlopp
Luftauslaß
Sortie d'air
Salida de aire
Mandata dell'aria
Luftafgang
Saida de ar
Luftutløp
Paineilmaputki

- GA (W) 7

Oil system
Oliesysteem
Oljesystem
Ölsystem
Système d'huile
Sistema de aceite
Sistema dell'olio
Oliesystem
Sistema de óleo
Oljesystem
Voitelujärjestelmä 8

Cooler(s)
Koeler(s)
Kylare
Kühler
Refroidisseur(s)
Refrigerador(es)
Refrigeratore(i)
Kølere
Refrigerador(es)
Kjøler(e)
Jäähdyttimet

- GA (W) - Tube coolers 9

Water system
Watersysteem
Vattensystem
Wassersystem
Système d'eau
Sistema de agua
Sistema dell'acqua
Vandsystem
Sistema de água
Vannsystem
Vesijärjestelmä

- Tube coolers 10

Contents
Inhoud
Innehåll
Inhaltsverzeichnis
Table des matières
Indice

Indice
Innholdsfortegnelse
Indice
Indholdsfortegnelse
Sisällysluettelo

Energy recovery system
Energierecuperatiesysteem
Energiåtervinningssystem
Energierückgewinnungssystem
Système de récupération d'énergie
Sistema de recuperación de energía
Sistema di recupero energia
Energigenvinding
Sistema de recuperação de energia
Energigjenvinningssystem
Energian talteenottojärjestelmä

- GA (W) 11

Frame and motor
Frame en motor
Ram och Motor
Rahmen und
Châssis et motor
Bastidor y motor
Telaio e motore elettrico
Ramme og motor
Base e motor
Ramme og Motor
Runko ja Moottori

- GA (W) 12

Regulating system
Regelsysteem
Reglersystem
Regelsystem
Système de régulation
Sistema de regulación
Sistema di regolazione
Reguleringssystem
Sistema de regulação
Reguleringssystem
Säätöjärjestelmä

- GA (W) 13

Drain system
Aftapsysteem
Avtappningssystem
Ablaßsystem
Système de vidange
Sistema de drenaje
Sistema di scarico
Drænsystem
Sistema de drenagem de condensados
Avtappingssystem
Lauhteenpoistojärjestelmä

- Basic drain 14
- Electronic Drain system 15
- Oil Separator Condensate drain 16

Bodywork
Carrosserie
Karosseri
Karosserie
Capotage
Carrocería
Cappottatura
Karosseri
Carroceria
Kabinett
Kotelo

- GA (W) 17


- Motor extension - IP55 Medium voltage 18
- Motor baffles 19
- Cubicle box 20

Start cubicle - star/delta
Startkast - ster/driehoek
Startskåp - stjärn/triangel
Anlaßschrank - Stern/Dreieck
Armoire de démarrage - étoile/triangle
Cubículo de arranque - estrella/triángulo
Armadio apparecch. di avviamento - stella/triangolo
Starterskab - stjerne/trekant
Cubículo-arranque estrela/triângulo
Startskap - stjerne-trekant
Käynnistinkotelo - Y/D

- GA 315 (A/W) 400-500V,
  GA 355 (A/W) 380-400-500V,
  GA 400 (A/W) 440-460V IEC - 500V,
  GA 450 (A/W) 500V 21
- GA 355 (A/W) 460V,
  GA 400 (A/W) 380-400V IEC,
  GA 450 (A/W) 400V/440-460V IEC 22
- Medium voltage, No motor 23

Service kits
Service kits
Service kits
Service Kits
Service kits
Service kits
Kit per la manutenzione
Service kits
Conjuntos de reparação
Servicesett
Huoltotarvikesarjat 24

1


2009
2010
2014
2013
2012
2105
4010
2170
2175
2190
2030
1010
2020
2180
2185
1010
1005
1010
1010
2140
2136
2135
2034
2035
2025
2160
2032
2025
2014
2005
2015
1010
2007
4010
2105
2012
2160
2030
2165
2125
2013
1010
1005
2128
2127
2129
2130
2120
2131
2126
3015
3010
2034
2035
2095
2065
2060
2070
3020
2075
2076
2061
2055
2050
2040
2090
2085
2045
4005
63131_01


63131_01

Drive arrangement

1

Ref.	Part number	Qty	Name	Remarks
1005	1616 7066 92	2	Service stage	
1010	1619 6032 00	10	Nipple	
2005		1	Gear casing	
	1621 2118 00		GA 315 ABB	
	1621 2118 00		GA 315 Siemens	
	1621 2118 01		GA 355 50Hz Siemens IP55 Medium voltage	
	1621 2118 00		GA 355 60Hz Siemens IP55 Medium voltage	
	1621 2118 00		GA 355 ABB	
	1621 2118 00		GA 355 IP23	
	1621 2118 00		GA 355 WEG	
	1621 2118 00		GA 400 ABB	
	1621 2118 00		GA 400 IP23	
	1621 2118 01		GA 400 Siemens IP55 Medium voltage	
	1621 2118 00		GA 400 WEG	
	1621 2118 00		GA 450 ABB	
	1621 2118 00		GA 450 IP23	
	1621 2118 01		GA 450 Siemens IP55 Medium voltage	
	1621 2118 00		GA 450 WEG	
	1621 2118 00		GA 500 IP23	
	1621 2118 00		GA 500 Siemens IP55	
	1621 2118 01		GA 500 Siemens IP55 Medium voltage	
	1621 2118 00		No motor IEC flange (pitch Ø 840 mm)	
	1621 2118 01		No motor IEC flange (pitch Ø 940 mm)	
2007	1621 2202 00	1	Bushing	
2009	1621 2207 00	1	Bushing	
2010	0663 2106 16	1	O-ring	
2012	1621 2121 00	2	Spacer	
2013	1614 9100 00	2	Washer	
2014	0211 1409 00	6	Cap screw	
2015		1	Adapter	
	1621 2119 00		GA 355 50Hz Siemens IP55 Medium voltage	
	1621 2119 00		GA 400 Siemens IP55 Medium voltage	
	1621 2119 00		GA 450 Siemens IP55 Medium voltage	
	1621 2119 00		GA 500 Siemens IP55 Medium voltage	
	1621 2119 00		No motor IEC flange (pitch Ø 940 mm)	
2020		8	Bolt	
	0147 1557 03		GA 355 50Hz Siemens IP55 Medium voltage	
	0147 1557 03		GA 400 Siemens IP55 Medium voltage	
	0147 1557 03		GA 450 Siemens IP55 Medium voltage	
	0147 1557 03		GA 500 Siemens IP55 Medium voltage	
	0147 1557 03		No motor IEC flange (pitch Ø 940 mm)	
2025	0101 1626 00	4	Pin	
2030	0663 2111 65	2	O-ring	
2032	0663 2106 10	3	O-ring	
2034	0147 1964 28	2	Hex.bolt	
2035	0147 1963 88	28	Bolt	
2040	1621 2122 00	1	Drive shaft	
2045	0506 0100 15	1	Bearing	
2050	0211 1480 00	10	Cap screw	
2055	0506 0100 16	1	Bearing	
2060	1621 1303 00	1	Cover	
2061	1621 2124 00	1	Seal	
2065	0663 2107 24	1	O-ring	
2070	0147 1364 03	4	Bolt	
2075	1621 2123 00	1	Bushing	
2076	0663 2106 16	1	O-ring	
2085	1621 1302 00	1	Bearing housing	
2090	0663 2109 74	1	O-ring	
2095	0147 1364 03	8	Bolt	
2105	0337 0009 46	2	Parallel key	
2120	1079 5840 15	1	Nipple	
2125	0661 1000 27	1	Seal washer	
2126	0574 8235 32	1	Hose assembly	
2127	0346 1002 10	1	Pipe clamp	
2128	0147 1325 03	1	Bolt	
2129	0266 2110 00	1	Hexagon nut	
2130	0301 2335 00	1	Washer	
2131	1614 9252 00	1	Plug	
2135	1621 2620 00	1	Pipe	
2136	0663 2107 82	1	O-ring	
2140	0147 1332 03	2	Bolt	
2160	0580 0014 66	2	Pipe coupling	
2165	1621 2127 00	1	Pipe	
2170	1621 2209 00	1	Cover	
2175	1621 2210 00	1	Gasket	
2180	0211 1328 00	11	Cap screw	
2185	0301 2335 00	11	Washer	
2190	1621 0424 00	1	Seal	
3010		1	Coupling	
	1621 1442 00		ABB	
	1621 1446 00		GA 315 50Hz Siemens IP55 Medium voltage	
	1621 1445 00		GA 315 No motor	
	1621 1446 00		GA 315 Siemens IP23	
	1621 1444 00		GA 355 50Hz Siemens IP55 Medium voltage	
	1621 1446 00		GA 355 60Hz Siemens IP55 Medium voltage	
	1621 1445 00		GA 355 No motor	
	1621 1446 00		GA 355 Siemens IP23	
	1621 1446 00		GA 400 Siemens IP23	
	1621 1445 00		GA 400 No motor	
	1621 1444 00		GA 400 Siemens IP55 Medium voltage	
	1621 1446 00		GA 450 Siemens IP23	
	1621 1445 00		GA 450 No motor	
	1621 1444 00		GA 450 Siemens IP55 Medium voltage	
	1621 2247 00		GA 500 Siemens IP23	
	1621 2205 00		GA 500 No motor	
	1621 2204 00		GA 500 Siemens IP55 Medium voltage	
	1621 1444 00		WEG	
3015	0337 0009 54	1	Parallel key	
3020		1	Coupling	
	1621 1443 00		ABB	
	1621 1443 00		GA 315 50Hz Siemens IP55 Medium voltage	
	1621 1443 00		GA 315 No motor	
	1621 1443 00		GA 315 Siemens IP23	
	1621 1443 00		GA 355 50Hz Siemens IP55 Medium voltage	
	1621 1443 00		GA 355 60Hz Siemens IP55 Medium voltage	
	1621 1443 00		GA 355 No motor	

1


2009
2010
2014
2013
2012
2105
4010
2170
2175
2190
2030
1010
2020
2180
2185
1010
1005
1010
1010
2140
2136
2135
2034
2035
2025
2160
2032
2025
2014
2005
2015
1010
2007
4010
2105
2012
2160
2030
2165
2125
1010
1005
2013
2128
2127
2129
2130
2120
2131
2126
3015
3010
2034
2035
2095
2065
2060
2070
3020
2075
2076
2061
2055
2050
2040
2090
2085
2045
4005
63131_01


63131_01

Drive arrangement

1

Ref.	Part number	Qty	Name	Remarks
	1621 1443 00		GA 355 Siemens IP23	
	1621 1443 00		GA 400 No motor	
	1621 1443 00		GA 400 Siemens IP23	
	1621 1443 00		GA 400 Siemens IP55	
			Medium voltage	
	1621 1443 00		GA 450 No motor	
	1621 1443 00		GA 450 Siemens IP23	
	1621 1443 00		GA 450 Siemens IP55	
			Medium voltage	
	1621 2203 00		GA 500 Siemens IP23	
	1621 2203 00		GA 500 No motor	
	1621 2203 00		GA 500 Siemens IP55	
			Medium voltage	
	1621 1443 00		WEG	
4005		1	Gear wheel	
	1621 2417 00		GA 315 7.5bar(e)	
	1621 2413 00		GA 315 8.5bar(e)	
	1621 2409 00		GA 315 10bar(e)	
	1621 2398 00		GA 315 13bar(e)	
	1621 2411 00		GA 355 6.9bar(e)	
	1621 2425 00		GA 355 7.5bar(e)	
	1621 2421 00		GA 355 8.5bar(e)	
	1621 2407 00		GA 355 8.6bar(e)	
	1621 2415 00		GA 355 10bar(e)	
	1621 2403 00		GA 355 10.4bar(e)	
	1621 2405 00		GA 355 13bar(e)	
	1621 2396 00		GA 355 13.8bar(e)	
	1621 2419 00		GA 400 6.9bar(e)	
	1621 2435 00		GA 400 7.5bar(e)	
	1621 2429 00		GA 400 8.5bar(e)	
	1621 2413 00		GA 400 8.6bar(e)	
	1621 2423 00		GA 400 10bar(e)	
	1621 2407 00		GA 400 10.4bar(e)	
	1621 2411 00		GA 400 13bar(e)	
	1621 2400 00		GA 400 13.8bar(e)	
	1621 2429 00		GA 450 6.9bar(e)	
	1621 2440 00		GA 450 7.5bar(e)	
	1621 2436 00		GA 450 8.5bar(e)	
	1621 2423 00		GA 450 8.6bar(e)	
	1621 2432 00		GA 450 10bar(e)	
	1621 2419 00		GA 450 10.4bar(e)	
	1621 2421 00		GA 450 13bar(e)	
	1621 2409 00		GA 450 13.8bar(e)	
	1621 2438 00		GA 500 6.9bar(e)	
	1621 2444 00		GA 500 7.5bar(e)	
	1621 2442 00		GA 500 8.5bar(e)	
	1621 2435 00		GA 500 8.6bar(e)	
	1621 2438 00		GA 500 10bar(e)	
	1621 2428 00		GA 500 10.4bar(e)	
	1621 2428 00		GA 500 13bar(e)	
	1621 2419 00		GA 500 13.8bar(e)	
4010		2	Gear wheel	
	1621 2418 00		GA 315 7.5bar(e)	
	1621 2414 00		GA 315 8.5bar(e)	
	1621 2410 00		GA 315 10bar(e)	
	1621 2399 00		GA 315 13bar(e)	
	1621 2412 00		GA 355 6.9bar(e)	
	1621 2426 00		GA 355 7.5bar(e)	
	1621 2422 00		GA 355 8.5bar(e)	
	1621 2408 00		GA 355 8.6bar(e)	
	1621 2416 00		GA 355 10bar(e)	
	1621 2404 00		GA 355 10.4bar(e)	
	1621 2406 00		GA 355 13bar(e)	
	1621 2397 00		GA 355 13.8bar(e)	
	1621 2420 00		GA 400 6.9bar(e)	
	1621 2434 00		GA 400 7.5bar(e)	
	1621 2430 00		GA 400 8.5bar(e)	
	1621 2414 00		GA 400 8.6bar(e)	
	1621 2424 00		GA 400 10bar(e)	
	1621 2408 00		GA 400 10.4bar(e)	
	1621 2412 00		GA 400 13bar(e)	
	1621 2401 00		GA 400 13.8bar(e)	
	1621 2430 00		GA 450 6.9bar(e)	
	1621 2441 00		GA 450 7.5bar(e)	
	1621 2437 00		GA 450 8.5bar(e)	
	1621 2424 00		GA 450 8.6bar(e)	
	1621 2433 00		GA 450 10bar(e)	
	1621 2420 00		GA 450 10.4bar(e)	
	1621 2422 00		GA 450 13bar(e)	
	1621 2410 00		GA 450 13.8bar(e)	
	1621 2439 00		GA 500 6.9bar(e)	
	1621 2445 00		GA 500 7.5bar(e)	
	1621 2443 00		GA 500 8.5bar(e)	
	1621 2434 00		GA 500 8.6bar(e)	
	1621 2439 00		GA 500 10bar(e)	
	1621 2427 00		GA 500 10.4bar(e)	
	1621 2427 00		GA 500 13bar(e)	
	1621 2420 00		GA 500 13.8bar(e)	

2


1045
1060
1080
1075
1065
1070
1030
1040
1020
1035
1010
1015
1005
3265
2040
2045
2015
2020
1090
1085
2035
2010
1025
1050
2030
2025
63141_20


63141_20

Unloading valve

2

Ref.	Part number		Qty	Name	Remarks
	1621 1299 80		**2**	**Unloader assembly**	
1005	1621 1299 00	•	1	Valve housing	
1010	1621 2221 00	•	1	Seal	
1015	1621 2222 00	•	1	Bearing	
1020	1621 4208 00	•	1	Piston	
1025	1621 4209 00	•	1	Piston rod	
1030	1621 2225 00	•	1	Seal	
1035	1621 2226 00	•	1	Seal	
1040	1621 2227 00	•	1	Bearing	
1045	1621 2635 00	•	1	Nozzle	
1050	1621 5973 00	•	1	Valve	
1060	0661 1000 31	•	1	Seal washer	
1065	1621 2631 00	•	1	Valve cover	
1070	0663 2103 22	•	1	O-ring	
1075	0301 2358 00	•	12	Washer	
1080	0147 1403 03	•	12	Bolt	
1085	1079 5840 03	•	1	Nipple	
1090	0661 1000 26	•	1	Seal washer	
2010	0663 2103 22		1	O-ring	
2015	0147 1480 03		6	Bolt	
2020	0301 2378 00		6	Washer	
2025	1079 5840 03		1	Nipple	
2030	0661 1000 26		1	Seal washer	
2035	0574 8234 31		1	Hose assembly	
2040	0663 2111 54		3	O-ring	
2045	0211 1251 03		4	Bolt	
3265	1089 0590 24		2	Solenoid valve	

3


1080
1055
1065
1085 1090 1095
1062 1063 1061
1050
1056 1058 1057 1035
1070
1040
1130
1120
1125
1075
1020
1130
1125
1025
1010
1120
1130
1130
1125
1130
1130
1125
1130
1116
1117
1110
1116
1117
1130
1125
1130
1115
1130
1125
1130
63140_02

Air inlet Basic


3

Ref.	Part number	Qty	Name	Remarks
1010	**1621 1455 80**	**1**	**Baffle**	3)
1020	1079 1472 06	5	Bolt	
1025	**1621 1457 80**	**1**	**Baffle**	1)
1035	1079 1472 06	6	Bolt	
1040	**1621 1458 80**	**1**	**Baffle**	1)
1050	1079 1472 06	16	Bolt	
1055	**1621 1459 80**	**1**	**Baffle**	2)
	2252 7237 00 •	2	Doorlock	
1056	2255 2148 00	2	Stud	
1057	0147 1244 03	2	Bolt	
1058	0301 2321 00	2	Washer	
1061	2255 2148 00	2	Stud	
1062	0147 1244 03	2	Bolt	
1063	0301 2321 00	2	Washer	
1065	1079 1472 06	4	Bolt	
1070	1621 1461 00	1	Collector	
1075	1079 1472 06	12	Bolt	
1076	0301 2335 00	4	Washer	
1077	0266 2110 00	4	Hexagon nut	
1080	1621 0547 00	3	Filter element	

Ref.	Part number	Qty	Name	Remarks
1085	0248 9979 08	3	Threaded rod	
1090	0301 2344 00	3	Washer	
1095	0296 1111 02	3	Wing nut	
1110	1621 1463 00	1	Pipe	
1115	1621 1464 00	1	Pipe	
1116	0686 4209 00	2	Plug	
1117	0661 1000 31	2	Seal washer	
1120	1621 1465 00	2	Pipe	
1125	1621 1466 00	6	Hump hose	
1130	1030 1005 03	12	Hose clamp	

1-3) Lined with / Bekleed met / Beklädd med / Ausgekleidet mit / Garnir de / Rivestido de / Allineato con / Foret med / Revestido com / Kledd med / Vuorattu :
1) Foam : 0395 6001 66 (AR) 25 x 2040 x 1650 self-adhesive
2) Foam : 0395 6001 67 (AR) 30 x 2040 x 1650 self-adhesive
3) Foam : 0395 6001 69 (AR) 50 x 2040 x 1650 self-adhesive

4


1045
1060
1025
1042
1041
1050
1055
1070
1065
1035
1075
1020
1030
1120
1115
1105
1115
1095
1040
1010
1015
1005
1115
1105
1115
1095
1115
1105
1115
1080
1115
1105
1115
1085
1115
1105
1115
1090
1115
1105
1115
63249_02

63249_02

Air inlet - Heavy Duty filter


4

Ref.	Part number	Qty	Name	Remarks
1005	**1621 1455 80**	**1**	**Baffle**	1)
1010	1079 1472 06	5	Bolt	
1015	**1621 1457 80**	**1**	**Baffle**	2)
1020	1079 1472 06	6	Bolt	
1025	**1621 1458 80**	**1**	**Baffle**	2)
1030	1079 1472 06	16	Bolt	
1035	1621 1461 00	1	Collector	
1040	1079 1472 06	12	Bolt	
1041	0301 2335 00	4	Washer	
1042	0266 2110 00	4	Hexagon nut	
1045	1614 9367 00	3	Air filter	
1050	1621 2235 00	3	Hump hose	
1055	0347 6124 00	3	Hose clip	
1060	0347 6100 43	3	Hose clip	
1065	1614 9368 00	3	Clamp	
1070	0147 1328 03	6	Bolt	

Ref.	Part number	Qty	Name	Remarks
1075	1621 2236 00	1	Support	
1080	1079 1472 06	2	Bolt	
1085	1621 1463 00	1	Pipe	
1090	1621 1464 00	1	Pipe	
1095	1621 1465 00	2	Pipe	
1105	1621 1466 00	6	Hump hose	
1115	1030 1005 03	12	Hose clamp	
1120	1619 6449 00	AR	Seal	

1-2) Lined with / Bekleed met / Beklädd med / Ausgekleidet mit / Garnir de / Rivestido de / Allineato con / Foret med / Revestido com / Kledd med / Vuorattu :
1) Foam : 0395 6001 69 (AR) 50 x 2040 x 1650 self-adhesive
2) Foam : 0395 6001 66 (AR) 25 x 2040 x 1650 self-adhesive

5


2075
1010
2110
2070
1015
1025
1020
1005
2080
2100
2105
2095
2085
2090
2005
2010
2020
2015
1035
2040
1030
3060
3055
3020
3025
3070
3066
3065
3030
3035
3040
3045
3050
2035
2060
2065
4010
4025
4020
4015
5015
5020
1010
2075
2110
1035
1030
2040
3060
3055
3020
3025
3070
3066
3065
3030
3035
3040
3045
3050
2035
1015
4025
4020
4015
4010
2065
1020
1025
1005
2020
2015
2082
2083
2005
2010
2105
2100
2085
2090
2080
2095
63251_03


63251_03

Air receiver

5

Ref.	Part number		Qty	Name	Remarks
			2	**Air receiver**	
	1621 9361 80			CE	
	1621 9361 85			ASME, DIR, SINGAPORE, CHINA	
1005		•	1	Vessel	
	1092 0012 35			China SQL/ML	
	1621 9361 05			ASME, DIR, SINGAPORE, CHINA	
1010		•	1	Valve housing	
	1621 9365 08			CE	
	1621 9365 05			ASME, DIR, SINGAPORE, CHINA	
1015	0663 2109 45	•	1	O-ring	
1020	0663 2109 45	•	1	O-ring	
1025	1614 9089 00	•	1	Pivot pin	
1030	0301 2394 00	•	12	Washer	
1035	0147 1962 38	•	12	Bolt	
2005	1614 9541 00		6	Spacer	
2010	1614 9542 00		6	Buffer	
2015	0333 3232 00		6	Lock washer	
2020	0211 1364 03		6	Cap screw	
2035	0663 2106 58		2	O-ring	
2040	0147 1365 03		12	Bolt	
2060	1092 0012 36		2	Shield	
2065	1614 9520 00		2	Bushing	
2070	1621 9386 00		2	Oil sep.element	
2075	0147 1479 03		2	Bolt	
2080	1614 9184 00		2	Level gauge	
2082	0661 1000 31		2	Sealing washer	
2083	2250 2528 00		2	Plug screw	
2085	0661 1038 00		2	Sealing washer	
2090	1619 6249 00		2	Nipple	
2095	1621 9144 00		2	Hose assembly	
2100	1614 9146 00		2	Plug	
2105	0661 1000 29		2	Seal washer	
2110	1614 9525 00		2	Suction pipe	
	1614 9523 80		**2**	**Min.press.valve**	
3020	1614 7277 00	•	1	Piston	
3025	1619 6199 00	•	1	Sealring	
3030	1614 7276 00	•	1	Check valve	
3035	1614 7279 00	•	1	Washer	
3040	1614 7281 00	•	1	Washer	
3045	2254 9215 00	•	1	Lockplate	
3050	0147 1322 03	•	3	Bolt	
3055	1614 7280 00	•	1	Compr.spring	
3060	1614 9523 00	•	1	Cover	
3065	0147 1958 97	•	2	Bolt	
3066	0301 2335 00	•	2	Washer	
3070	1614 9524 00	•	1	Sleeve	
4010			2	Hexagon nipple	
	0603 4108 03			GA 315 7.5 bar(e) CE	
	0603 5125 03			GA 315 8.5 bar(e) CE	
	0603 5125 03			GA 315 10 bar(e) CE	
	0603 5125 03			GA 315 13 bar(e) CE	
	0603 5125 03			GA 315 ASME	
	0603 5125 03			GA 315 CHINA	
	0603 5125 03			GA 315 DIR	
	0603 5125 03			GA 315 SINGAPORE	
	0603 4108 03			GA 355 7.5 bar(e) CE	
	0603 4108 03			GA 355 8.5 bar(e) CE	
	0603 5125 03			GA 355 10 bar(e) CE	
	0603 5125 03			GA 355 13 bar(e) CE	
	0603 5125 03			GA 355 ASME	
	0603 5125 03			GA 355 CHINA	
	0603 5125 03			GA 355 DIR	
	0603 5125 03			GA 355 SINGAPORE	
	0603 4108 03			GA 400 7.5 bar(e) CE	
	0603 4108 03			GA 400 8.5 bar(e) CE	
	0603 5125 03			GA 400 10 bar(e) CE	
	0603 5125 03			GA 400 13 bar(e) CE	
	0603 5125 03			GA 400 ASME	
	0603 5125 03			GA 400 CHINA	
	0603 5125 03			GA 400 DIR	
	0603 5125 03			GA 400 SINGAPORE	
	0603 4108 03			GA 450 6.9 bar(e)	
	0603 4108 03			GA 450 7.5 bar(e) ASME	
	0603 4108 03			GA 450 7.5 bar(e) CE	
	0603 4108 03			GA 450 7.5 bar(e) CHINA	
	0603 4108 03			GA 450 7.5 bar(e) DIR	
	0603 4108 03			GA 450 7.5 bar(e) SINGAPORE	
	0603 4108 03			GA 450 8.5 bar(e) ASME	
	0603 4108 03			GA 450 8.5 bar(e) CE	
	0603 4108 03			GA 450 8.5 bar(e) CHINA	
	0603 4108 03			GA 450 8.5 bar(e) DIR	
	0603 4108 03			GA 450 8.5 bar(e) SINGAPORE	
	0603 5125 03			GA 450 8.6 bar(e)	
	0603 5125 03			GA 450 10 bar(e)	
	0603 5125 03			GA 450 10.4 bar(e)	
	0603 5125 03			GA 450 13 bar(e)	
	0603 5125 03			GA 450 13.8 bar(e)	
	0603 4108 03			GA 500 6.9 bar(e)	
	0603 4108 03			GA 500 7.5 bar(e) ASME	
	0603 4108 03			GA 500 7.5 bar(e) CE	
	0603 4108 03			GA 500 7.5 bar(e) CHINA	
	0603 4108 03			GA 500 7.5 bar(e) DIR	
	0603 4108 03			GA 500 7.5 bar(e) SINGAPORE	
	0603 4108 03			GA 500 8.5 bar(e) ASME	
	0603 4108 03			GA 500 8.5 bar(e) CE	
	0603 4108 03			GA 500 8.5 bar(e) CHINA	
	0603 4108 03			GA 500 8.5 bar(e) DIR	
	0603 4108 03			GA 500 8.5 bar(e) SINGAPORE	
	0603 4108 03			GA 500 8.6 bar(e)	
	0603 4108 03			GA 500 10 bar(e)	
	0603 4108 03			GA 500 10.4 bar(e)	
	0603 5125 03			GA 500 13 bar(e)	
	0603 5125 03			GA 500 13.8 bar(e)	
4015			2	Elbow	
	0560 0200 56			GA 315 7.5 bar(e) CE	
	0560 0200 24			GA 315 8.5 bar(e) CE	
	0560 0200 24			GA 315 10 bar(e) CE	
	0560 0200 24			GA 315 13 bar(e) CE	
	0560 0200 24			GA 315 ASME	
	0560 0200 24			GA 315 CHINA	
	0560 0200 24			GA 315 DIR	
	0560 0200 24			GA 315 SINGAPORE	
	0560 0200 56			GA 355 7.5 bar(e) CE	
	0560 0200 56			GA 355 8.5 bar(e) CE	
	0560 0200 24			GA 355 10 bar(e) CE	
	0560 0200 24			GA 355 13 bar(e) CE	
	0560 0200 24			GA 355 ASME	
	0560 0200 24			GA 355 CHINA	
	0560 0200 24			GA 355 DIR	

5


2075
1010
2110
2070
1015
1025
1020
1005
2080
2100
2105
2095
2085
2090
2005
2010
2020
2015
1035
2040
1030
3060
3055
3020
3025
3070
3066
3065
3030
3035
3040
3045
3050
2035
2060
2065
4010
4025
4020
4015
5015
5020
2082
2083
2080
63251_03

63251_03


Air receiver

5

Ref.	Part number	Qty	Name	Remarks
	0560 0200 24		GA 355 SINGAPORE	
	0560 0200 56		GA 400 7.5 bar(e) CE	
	0560 0200 56		GA 400 8.5 bar(e) CE	
	0560 0200 24		GA 400 10 bar(e) CE	
	0560 0200 24		GA 400 13 bar(e) CE	
	0560 0200 24		GA 400 ASME	
	0560 0200 24		GA 400 CHINA	
	0560 0200 24		GA 400 DIR	
	0560 0200 24		GA 400 SINGAPORE	
	0560 0200 56		GA 450 6.9 bar(e)	
	0560 0200 56		GA 450 7.5 bar(e) ASME	
	0560 0200 56		GA 450 7.5 bar(e) CE	
	0560 0200 56		GA 450 7.5 bar(e) CHINA	
	0560 0200 56		GA 450 7.5 bar(e) DIR	
	0560 0200 56		GA 450 7.5 bar(e) SINGAPORE	
	0560 0200 56		GA 450 8.5 bar(e) ASME	
	0560 0200 56		GA 450 8.5 bar(e) CE	
	0560 0200 56		GA 450 8.5 bar(e) CHINA	
	0560 0200 56		GA 450 8.5 bar(e) DIR	
	0560 0200 56		GA 450 8.5 bar(e) SINGAPORE	
	0560 0200 24		GA 450 8.6 bar(e)	
	0560 0200 24		GA 450 10 bar(e)	
	0560 0200 24		GA 450 10.4 bar(e)	
	0560 0200 24		GA 450 13 bar(e)	
	0560 0200 24		GA 450 13.8 bar(e)	
	0560 0200 56		GA 500 6.9 bar(e)	
	0560 0200 56		GA 500 7.5 bar(e) ASME	
	0560 0200 56		GA 500 7.5 bar(e) CE	
	0560 0200 56		GA 500 7.5 bar(e) CHINA	
	0560 0200 56		GA 500 7.5 bar(e) DIR	
	0560 0200 56		GA 500 7.5 bar(e) SINGAPORE	
	0560 0200 56		GA 500 8.5 bar(e) ASME	
	0560 0200 56		GA 500 8.5 bar(e) CE	
	0560 0200 56		GA 500 8.5 bar(e) CHINA	
	0560 0200 56		GA 500 8.5 bar(e) DIR	
	0560 0200 56		GA 500 8.5 bar(e) SINGAPORE	
	0560 0200 56		GA 500 8.6 bar(e)	
	0560 0200 56		GA 500 10 bar(e)	
	0560 0200 56		GA 500 10.4 bar(e)	
	0560 0200 24		GA 500 13 bar(e)	
	0560 0200 24		GA 500 13.8 bar(e)	
4020		1	Flat gasket	
	0653 1254 00		GA 315 7.5 bar(e) CE	
	0653 1189 00		GA 315 8.5 bar(e) CE	
	0653 1189 00		GA 315 10 bar(e) CE	
	0653 1189 00		GA 315 13 bar(e) CE	
	0653 1189 00		GA 315 ASME	
	0653 1189 00		GA 315 CHINA	
	0653 1189 00		GA 315 DIR	
	0653 1189 00		GA 315 SINGAPORE	
	0653 1254 00		GA 355 7.5 bar(e) CE	
	0653 1254 00		GA 355 8.5 bar(e) CE	
	0653 1189 00		GA 355 10 bar(e) CE	
	0653 1189 00		GA 355 13 bar(e) CE	
	0653 1189 00		GA 355 ASME	
	0653 1189 00		GA 355 CHINA	
	0653 1189 00		GA 355 DIR	
	0653 1189 00		GA 355 SINGAPORE	
	0653 1254 00		GA 400 7.5 bar(e) CE	
	0653 1254 00		GA 400 8.5 bar(e) CE	

Ref.	Part number	Qty	Name	Remarks
	0653 1189 00		GA 400 10 bar(e) CE	
	0653 1189 00		GA 400 13 bar(e) CE	
	0653 1189 00		GA 400 ASME	
	0653 1189 00		GA 400 CHINA	
	0653 1189 00		GA 400 DIR	
	0653 1189 00		GA 400 SINGAPORE	
	0653 1254 00		GA 450 6.9 bar(e)	
	0653 1254 00		GA 450 7.5 bar(e) ASME	
	0653 1254 00		GA 450 7.5 bar(e) CE	
	0653 1254 00		GA 450 7.5 bar(e) CHINA	
	0653 1254 00		GA 450 7.5 bar(e) DIR	
	0653 1254 00		GA 450 7.5 bar(e) SINGAPORE	
	0653 1254 00		GA 450 8.5 bar(e) ASME	
	0653 1254 00		GA 450 8.5 bar(e) CE	
	0653 1254 00		GA 450 8.5 bar(e) CHINA	
	0653 1254 00		GA 450 8.5 bar(e) DIR	
	0653 1254 00		GA 450 8.5 bar(e) SINGAPORE	
	0653 1189 00		GA 450 8.6 bar(e)	
	0653 1189 00		GA 450 10 bar(e)	
	0653 1189 00		GA 450 10.4 bar(e)	
	0653 1189 00		GA 450 13 bar(e)	
	0653 1189 00		GA 450 13.8 bar(e)	
	0653 1254 00		GA 500 6.9 bar(e)	
	0653 1254 00		GA 500 7.5 bar(e) ASME	
	0653 1254 00		GA 500 7.5 bar(e) CE	
	0653 1254 00		GA 500 7.5 bar(e) CHINA	
	0653 1254 00		GA 500 7.5 bar(e) DIR	
	0653 1254 00		GA 500 7.5 bar(e) SINGAPORE	
	0653 1254 00		GA 500 8.5 bar(e) ASME	
	0653 1254 00		GA 500 8.5 bar(e) CE	
	0653 1254 00		GA 500 8.5 bar(e) CHINA	
	0653 1254 00		GA 500 8.5 bar(e) DIR	
	0653 1254 00		GA 500 8.5 bar(e) SINGAPORE	
	0653 1254 00		GA 500 8.6 bar(e)	
	0653 1254 00		GA 500 10 bar(e)	
	0653 1254 00		GA 500 10.4 bar(e)	
	0653 1189 00		GA 500 13 bar(e)	
	0653 1189 00		GA 500 13.8 bar(e)	
4025		1	Safety valve	
	0830 1008 14		GA 315 7.5 bar(e) CE	
	0830 1008 12		GA 315 8.5 bar(e) CE	
	0830 1008 18		GA 315 10 bar(e) CE	
	0830 1008 18		GA 315 13 bar(e) CE	
	0830 1008 18		GA 315 ASME	
	1092 0125 18		GA 315 CHINA	
	0830 1008 18		GA 315 DIR	
	0830 1008 18		GA 315 SINGAPORE	
	0830 1008 14		GA 355 7.5 bar(e) CE	
	0830 1008 14		GA 355 8.5 bar(e) CE	
	0830 1008 18		GA 355 10 bar(e) CE	
	0830 1008 18		GA 355 13 bar(e) CE	
	0830 1008 18		GA 355 ASME	
	1092 0125 18		GA 355 CHINA	
	0830 1008 18		GA 355 DIR	
	0830 1008 18		GA 355 SINGAPORE	
	0830 1008 14		GA 400 7.5 bar(e) CE	
	0830 1008 14		GA 400 8.5 bar(e) CE	
	0830 1008 18		GA 400 10 bar(e) CE	
	0830 1008 18		GA 400 13 bar(e) CE	
	0830 1008 18		GA 400 ASME	

5


2075
1010
2110
2070
1015
1025
1020
1005
2080
2100
2105
2095
2085
2090
2005
2010
2020
2015
1035
2040
1030
3060
3055
3020
3025
3070
3066
3065
3030
3035
3040
3045
3050
2035
2060
2065
4010
4025
4020
4015
5015
5020
2082
2083
63251_03


63251_03

Air receiver

5

Ref.	Part number	Qty	Name	Remarks
	1092 0125 18		**G**A 400 CHINA	
	0830 1008 18		GA 400 DIR	
	0830 1008 18		GA 400 SINGAPORE	
	0830 1008 19		GA 450 6.9 bar(e)	
	0830 1008 19		GA 450 7.5 bar(e) ASME	
	0830 1008 14		GA 450 7.5 bar(e) CE	
	1092 0001 75		GA 450 7.5 bar(e) CHINA	
	0830 1008 19		GA 450 7.5 bar(e) DIR	
	0830 1008 19		GA 450 7.5 bar(e) SINGAPORE	
	0830 1008 19		GA 450 8.5 bar(e) ASME	
	0830 1008 14		GA 450 8.5 bar(e) CE	
	1092 0001 75		GA 450 8.5 bar(e) CHINA	
	0830 1008 19		GA 450 8.5 bar(e) DIR	
	0830 1008 19		GA 450 8.5 bar(e) SINGAPORE	
	0830 1008 18		GA 450 8.6 bar(e)	
	0830 1008 18		GA 450 10 bar(e)	
	0830 1008 18		GA 450 10.4 bar(e)	
	0830 1008 18		GA 450 13 bar(e)	
	0830 1008 18		GA 450 13.8 bar(e)	
	0830 1008 19		GA 500 6.9 bar(e)	
	0830 1008 19		GA 500 7.5 bar(e) ASME	
	0830 1008 14		GA 500 7.5 bar(e) CE	
	1092 0001 75		GA 500 7.5 bar(e) CHINA	
	0830 1008 19		GA 500 7.5 bar(e) DIR	
	0830 1008 19		GA 500 7.5 bar(e) SINGAPORE	
	0830 1008 19		GA 500 8.5 bar(e) ASME	
	0830 1008 14		GA 500 8.5 bar(e) CE	
	1092 0001 75		GA 500 8.5 bar(e) CHINA	
	0830 1008 19		GA 500 8.5 bar(e) DIR	
	0830 1008 19		GA 500 8.5 bar(e) SINGAPORE	
	0830 1008 19		GA 500 8.6 bar(e)	
	0830 1008 19		GA 500 10 bar(e)	
	0830 1008 19		GA 500 10.4 bar(e)	
	0830 1008 18		GA 500 13 bar(e)	
	0830 1008 18		GA 500 13.8 bar(e)	
5015		2	Oil can	
	1092 0050 00		Oil can	
	1092 0012 06		Label	
5020	1092 0012 07	1	Label	
5030	0017 5201 20		Oil ROTO-XTEND DUTY FLUID	

6



1125
1120
1115
1155
1105
1100
1110
1160
1170
1165
1095
1180
1175
1100
1185
1190
1205
1200
1195
1105
1110
1095
1100
1150
1145
1135
1140
1130
1180
1115
1125
1110
1185
1190
1200
1205
1195
1175
1115
1125
1130
1085
1090
1075
1080
1075
1065
1070
1040
1120
1125
1115
1085
1090
1055
1050
1080
1060
1025
1035
1030
1010
1045
1005
1020
1015
63142_02

63142_02

Air flow - GA (W)

Ref.	Part number	Qty	Name	Remarks
1005	1625 0008 35	1	Hose assembly	
1010	0663 2106 58	1	O-ring	
1015	0147 1479 03	4	Bolt	
1020	0301 2378 00	4	Washer	
1025	0663 2106 20	1	O-ring	
1030	0147 1403 03	4	Bolt	
1035	0301 2358 00	4	Washer	
1040	1625 0008 36	1	Hose assembly	
1045	0663 2106 58	1	O-ring	
1050	0147 1479 03	4	Bolt	
1055	0301 2378 00	4	Washer	
1060	0663 2106 20	1	O-ring	
1065	0147 1403 03	4	Bolt	
1070	0301 2358 00	4	Washer	
1075		2	Pipe	
	1614 8997 00		With plate cooler	
	1621 2688 00		With tube cooler	
1080	0663 2106 19	2	O-ring	
1085	0147 1404 03	8	Bolt	
1090	0301 2358 00	8	Washer	
1095	1614 9512 00	2	Pipe	
1100	**1614 9509 00**	**4**	**Connection**	
	1614 9513 00 •	1	Seal	
1105	0147 1367 03	8	Bolt	
1110	0301 2344 00	8	Washer	
1115	0306 2000 10	8	Washer	
1120	0291 1114 00	8	Locknut	
1125	1614 8926 00	8	Absorber	
1130	0147 1503 03	4	Bolt	
1135		1	Pipe	
	1621 2145 00		With plate cooler	
	1621 2682 00		With tube cooler	
1140		1	O-ring	
	0663 2106 17		With plate cooler	
	0663 2106 20		With tube cooler	
1145	0147 1363 03	4	Bolt	
1150		4	Washer	
	0301 2344 00		With plate cooler	
	0301 2358 00		With tube cooler	
1155		1	Pipe	
	1621 1439 00		With plate cooler	
	1621 2683 00		With tube cooler	
1160		1	O-ring	
	0663 2106 17		With plate cooler	
	0663 2106 20		With tube cooler	
1165		4	Bolt	
	0147 1363 03		With plate cooler	
	0147 1403 03		With tube cooler	
1170		4	Washer	
	0301 2344 00		With plate cooler	
	0301 2358 00		With tube cooler	
1175		2	Pipe	
	1621 2147 00		With plate cooler	
	1621 2684 00		With tube cooler	
1180	0663 2106 20	2	O-ring	
1185		8	Bolt	
	0147 1363 03		With plate cooler	
	0147 1403 03		With tube cooler	
1190	0301 2358 00	8	Washer	
1195	0663 2106 19	2	O-ring	
1200	0147 1403 03	8	Bolt	
1205	0301 2358 00	8	Washer	

7


1010
1015
1035
1040
1035
1050
1045
2005
2010
1030
2025
2020
2015
2020
1020
1025
3005
4005
4010
4015
4020
4025
4030
4035
4065
4055
4060
4070
4050
4040
3010
3015
3020
3025
3030
3035
3040
3040
3045
3065
3060
3070
3050
3055
63146_02


63146_02

Air outlet - GA (W)

7

Ref.	Part number	Qty	Name	Remarks
1010		1	Pipe	
	1621 1496 00		Plate cooler	
	1621 2686 00		Tube cooler	
1015	0634 1000 56	1	Victaulic coupling	
1020		1	Pipe	
	1621 1496 00		Plate cooler	
	1621 2686 00		Tube cooler	
1025	0634 1000 56	1	Victaulic coupling	
1030	1621 1497 00	1	Pipe	
1035	0634 1000 56	2	Victaulic coupling	
1040	1619 6607 04	2	U-bolt	
1045	0266 2112 00	8	Nut	
1050	0301 2358 00	8	Washer	
2005	1621 1498 00	1	Adapter	
2010	0650 1000 90	1	Gasket	
2015	0147 1482 03	8	Bolt	
2020	0301 2378 00	16	Washer	
2025	0266 2114 00	8	Nut	
		2	**Water separator**	
	1614 9139 80		With float valve	
3005	1614 9139 00 •	1	Head	
3010	0663 6142 00 •	1	O-ring	
3015	1621 0461 00 •	1	Pipe	
3020	1621 0462 00 •	3	Rod	
3025	1621 0463 00 •	1	Disc	
3030	0301 2118 01 •	3	Washer	
3035	0291 1107 00 •	3	Lock nut	
3040	1613 9378 93 •	1	Drain valve assembly	
3045	0663 2133 00 •	1	O-ring	
3050	0663 2111 27 •	1	O-ring	
3055	1613 9381 00 •	1	Nut	
3060	1613 9464 00 •	1	Bowl	
3065	0663 2108 01 •	1	O-ring	
3070	1621 0465 01 •	1	Label	
		2	**Water separator**	
	1614 9139 81		For electronic waterdrain	
4005	1614 9139 00 •	1	Head	
4010	0663 6142 00 •	1	O-ring	
4015	1621 0461 00 •	1	Pipe	
4020	1621 0462 00 •	3	Rod	
4025	1621 0463 00 •	1	Disc	
4030	0301 2118 01 •	3	Washer	
4035	0291 1107 00 •	3	Lock nut	
4040	1613 9946 00 •	1	Connection	
4050	0663 2111 27 •	1	O-ring	
4055	0261 2118 00 •	1	Nut	
4060	1613 9464 00 •	1	Bowl	
4065	0663 2108 01 •	1	O-ring	
4070	1621 0465 02 •	1	Label	

8



1080
1075
1065
1070
1030
1035
1025
1020
1090
1095
1040
1085
1055
1045
2075
2080
2070
2065
2100
2095
1050
1060
2090
1110
1105
1005
1015
1010
1100
2085
2040
2035
2026
2030
3020
2050
2045
2060
2010
2015
2110
2105
2031
2032
2020
2025
2070
2080
2076
2040
2035
2026
2050
2030
3020
2020
2045
2025
2015
2010
2060
2090
2100
2096
63159_05

63159_05

Oil system 8

Ref.	Part number	Qty	Name	Remarks
1005	1614 8980 00	2	Valve housing	
1010	1614 8976 00	2	Plug	
1015	0661 1000 30	2	Seal washer	
1020	1614 8978 00	2	Spring	
1025	1614 8977 00	2	Check valve	
1030	1614 8974 00	2	Piston	
1035	1614 8973 00	2	Valve	
1040	0663 2111 67	2	O-ring	
1045	1614 8979 00	2	Spring	
1050	1614 8972 00	2	Cover	
1055	0663 2106 18	2	O-ring	
1060	0147 1363 03	8	Bolt	
1065	1614 8975 00	2	Flange	
1070	0663 2106 57	2	O-ring	
1075	0147 1363 03	8	Bolt	
1080	0301 2344 00	8	Washer	
1085	0663 2102 89	2	O-ring	
1090	0663 2111 58	2	O-ring	
1095	0663 2111 66	6	O-ring	
1100	0211 1960 28	12	Cap screw	
1105	0686 3716 01	4	Plug	
1110	0661 1000 25	4	Seal washer	
2010	1614 9006 01	2	Oil filter housing	
2015	0663 2107 77	2	O-ring	
2020	0301 2344 00	6	Washer	
2025		6	Bolt	
	0147 1363 03		No ENergy RECovery	
2026	1614 9007 00	2	Cover	
2030	0663 2107 77	2	O-ring	
2031		6	Stud	
	0246 1956 36		ENergy RECovery	
2032		6	Nut	
	0266 2111 00		ENergy RECovery	
2035	0301 2335 00	8	Washer	
2040	0147 1325 03	8	Bolt	
2045		6	Nipple	
	1614 8076 00		13-13.8 bar(e)	
	1614 7062 00		6.9-7.5-8.5-10-10.4 bar(e)	
2050		6	Oil filter	
	1614 8065 00		13-13.8 bar(e)	
	1614 7273 00		6.9-7.5-8.5-10-10.4 bar(e)	
	1623 0196 00		Option Glass fiber oil filter,max 10bar	
2060	0686 3716 01	2	Plug	
2065		1	Hose assembly	
	1621 1440 00		No ENergy RECovery	
	1621 2092 00		ENergy RECovery	
2070	0663 2109 68	2	O-ring	
2075	0147 1363 03	2	Bolt	
2076	0147 1362 03	2	Bolt	
2080	0301 2344 00	4	Washer	
2085		1	Hose assembly	
	1621 1499 00		No ENergy RECovery	
	1621 2097 00		ENergy RECovery	
2090	0663 2109 68	2	O-ring	
2095	0147 1363 03	2	Bolt	
2096	0147 1362 03	2	Bolt	
2100	0301 2344 00	4	Washer	
2105	0686 3716 01	1	Plug	
2110	0661 1000 25	1	Seal washer	
3020		2	Thermostatic valve	
	1202 5869 02		GA 315 7.5 bar(e)	
	1202 5869 03		GA 315 8.5 bar(e)	
	1202 5869 01		GA 315 10 bar(e)	
	1202 5869 04		GA 315 13 bar(e)	
	1202 5869 02		GA 355 6.9 bar(e)	
	1202 5869 02		GA 355 7.5 bar(e)	
	1202 5869 02		GA 355 8.5 bar(e)	
	1202 5869 03		GA 355 8.6 bar(e)	
	1202 5869 01		GA 355 10.4 bar(e)	
	1202 5869 03		GA 355 10 bar(e)	
	1202 5869 04		GA 355 13.8 bar(e)	
	1202 5869 04		GA 355 13 bar(e)	
	1202 5869 02		GA 400 6.9 bar(e)	
	1202 5869 02		GA 400 7.5 bar(e)	
	1202 5869 02		GA 400 8.5 bar(e)	
	1202 5869 02		GA 400 8.6 bar(e)	
	1202 5869 03		GA 400 10 bar(e)	
	1202 5869 01		GA 400 10.4 bar(e)	
	1202 5869 04		GA 400 13 bar(e)	
	1202 5869 04		GA 400 13.8 bar(e)	
	1202 5869 02		GA 450 6.9 bar(e)	
	1202 5869 02		GA 450 7.5 bar(e)	
	1202 5869 02		GA 450 8.5 bar(e)	
	1202 5869 02		GA 450 8.6 bar(e)	
	1202 5869 02		GA 450 10 bar(e)	
	1202 5869 03		GA 450 10.4 bar(e)	
	1202 5869 04		GA 450 13 bar(e)	
	1202 5869 04		GA 450 13.8 bar(e)	
	1202 5869 02		GA 500 6.9 bar(e)	
	1202 5869 02		GA 500 7.5 bar(e)	
	1202 5869 02		GA 500 8.5 bar(e)	
	1202 5869 02		GA 500 8.6 bar(e)	
	1202 5869 02		GA 500 10 bar(e)	
	1202 5869 02		GA 500 10.4 bar(e)	
	1202 5869 01		GA 500 13 bar(e)	
	1202 5869 01		GA 500 13.8 bar(e)	
	1202 5868 00 •	1	Spring	

9


1180
1215
1191
1185
1220
1192
1157
1156
1175
1210
1055
1065
1050
1020
1025
1060
1045
1235
1245
1240
1015
1065
1070
1075
1060
1075
1080
1150
1122
1145
1115
1121
1110
1005
1087
1010
1086
1140
1105
1025
1035
1020
1040
1235
1030
1155
1200
1205
1195
1065
1245
1250
1240
1065
1055
1060
1070
1075
1060
1015
1075
1080
1160
1190
1170
1165
1120
1130
1135
1125
1010
1005
63173_04
1090
1085
1100
1095


63173_04

Coolers - GA(W) - Tube coolers

Ref.	Part number	Qty	Name	Remarks
1005	1621 2692 00	2	Support	
1010	1619 5337 01	16	Bolt	
1015	1621 2677 08	2	Aftercooler	
1020	0147 1362 03	8	Bolt	
1025	0301 2344 00	8	Washer	
1030	1614 8664 08	2	Oil cooler	
1035	0147 1362 03	8	Bolt	
1040	0301 2344 00	8	Washer	
1045	1614 8665 08	2	Oil cooler	
1050	0147 1362 03	8	Bolt	
1055	0301 2344 00	8	Washer	
1060	1614 6632 00	4	Plate	
1065	0663 2106 12	8	O-ring	
1070	0147 1407 03	8	Bolt	
1075	0301 2358 00	16	Washer	
1080	0266 2112 00	8	Nut	
1085	1621 2678 00	1	Hose assembly	
1086	0686 3716 01	1	Plug	
1087	0653 1062 00	1	Flat gasket	
1090	0663 2109 68	1	O-ring	
1095	0147 1363 03	2	Bolt	
1100	0301 2344 00	2	Washer	
1105	0663 2106 11	1	O-ring	
1110	0147 1402 03	2	Bolt	
1115	0301 2358 00	2	Washer	
1120	1621 2679 00	1	Hose assembly	
1121	0686 3716 01	1	Plug	
1122	0653 1062 00	1	Flat gasket	

Ref.	Part number	Qty	Name	Remarks
1125	0663 2109 68	1	O-ring	
1130	0147 1363 03	2	Bolt	
1135	0301 2344 00	2	Washer	
1140	0663 2106 11	1	O-ring	
1145	0147 1402 03	2	Bolt	
1150	0301 2358 00	2	Washer	
1155	1621 2680 00	1	Hose assembly	
1156	0686 3716 01	1	Plug	
1157	0653 1062 00	1	Flat gasket	
1160	0663 2109 68	1	O-ring	
1165	0147 1362 03	2	Bolt	
1170	0301 2344 00	2	Washer	
1175	0663 2106 11	1	O-ring	
1180	0147 1402 03	2	Bolt	
1185	0301 2358 00	2	Washer	
1190	1621 2681 00	1	Hose assembly	
1191	0686 3716 01	1	Plug	
1192	0653 1062 00	1	Flat gasket	
1195	0663 2109 68	1	O-ring	
1200	0147 1363 03	2	Bolt	
1205	0301 2344 00	2	Washer	
1210	0663 2106 11	1	O-ring	
1215	0147 1402 03	2	Bolt	
1220	0301 2358 00	2	Washer	
1235	1614 6634 00	2	Pipe	
1240	0663 2106 11	4	O-ring	
1245	0147 1402 03	8	Bolt	
1250	0301 2358 00	8	Washer	

10


1051
1052
1053
1054
1020
1023
1022
1024
1021
1050
1100
1105
1110
1017
1016
1055
1045
1125
1115
1120
1080
1075
1085
1005
2005
1090
1095
1060
1037
1065
1070
1010
1025
1015
1035
1040
1030
1033
1032
1034
1031
63172_06


63172_06

Water system - Tube coolers

10

Ref.	Part number	Qty	Name	Remarks
1005	1621 2100 00	1	Pipe	
1010	1621 2101 00	1	Pipe	
1015	1619 6153 10	1	Ball valve	
1016	1079 5840 01	2	Nipple	
1017	0653 1046 00	2	Flat gasket	
1020	1621 2687 00	1	Pipe	
1021	0663 2106 12	1	O-ring	
1022	0147 1407 03	2	Bolt	
1023	0301 2358 00	4	Washer	
1024	0266 2112 00	2	Nut	
1025	0634 1000 27	1	Victaulic coupling	
1030	1621 2689 00	1	Pipe	
1031	0663 2106 12	1	O-ring	
1032	0147 1407 03	2	Bolt	
1033	0301 2358 00	4	Washer	
1034	0266 2112 00	2	Nut	
1035	0634 1000 27	1	Victaulic coupling	
1037	1621 2104 00	1	Pipe	
1040	1621 2691 00	1	Pipe	
1045	1621 2690 00	1	Pipe	
1050	1621 2685 00	2	Pipe	
1051	0663 2106 12	2	O-ring	
1052	0147 1407 03	4	Bolt	
1053	0301 2358 00	8	Washer	
1054	0266 2112 00	8	Nut	
1055	0634 1000 27	4	Victaulic coupling	
1060	1621 2107 00	1	Support	
1065	0147 1364 03	4	Bolt	
1070	0301 2344 00	4	Washer	
1075	0634 1000 27	2	Victaulic coupling	
1080	1079 1472 06	4	Bolt	
1085	0346 2900 23	4	U-bolt	
1090	0301 2335 00	4	Washer	
1095	0266 2110 00	4	Hexagon nut	
1100	0653 1046 00	4	Flat gasket	
1105	1615 3624 00	2	Nozzle	
1110	0581 0025 01	2	Pipe coupling	
1115	1619 5205 00	2	Nipple	
1120	0653 1062 00	2	Flat gasket	
1125	0574 8231 16	2	Hose assembly	
2005	0605 8350 29	2	Bushing	

11



63195_06

Ref.	Part number	Qty	Name	Remarks
1005	**1621 1487 80**	**2**	**Stay**	1)
1010	1079 1472 06	8	Bolt	
1015	**1621 2137 80**	**1**	**Stay**	1)
	1079 9913 79 •	2	Inform.label	
	1079 9913 69 •	2	Inform.label	
1020	1079 1472 06	4	Bolt	
2005	**1621 1485 80**	**1**	**Roof**	1)
2010	1079 1472 06	6	Bolt	
3005	1621 2583 00	1	Pipe	
3010	1621 2110 00	1	Pipe	


Energy Recovery system - GA (W)

11

Ref.	Part number	Qty	Name	Remarks
3015	0663 2109 68	1	O-ring	
3020	0147 1400 03	2	Bolt	
3025	0301 2358 00	2	Washer	
3030	0634 1000 27	2	Victaulic coupling	
3035	1621 2109 00	1	Pipe	
3040	0634 1000 27	2	Victaulic coupling	
3045	1619 2861 01	2	Clamp	
3050	0147 1325 03	2	Bolt	
3055	0301 2335 00	2	Washer	
3060	0266 2110 00	2	Hexagon nut	
4005	0605 8350 29	1	Bushing	
4010	0605 8350 40	1	Bushing	
5005	1621 2457 00	1	Frame	
5010	0147 1401 03	6	Bolt	
5015	0301 2358 00	6	Washer	
5020	0147 1475 03	4	Bolt	
5025	0301 2378 00	4	Washer	
5030	1621 0470 00	2	Support	
5035	1619 2766 00	8	Bolt	
5045	1621 2582 00	2	Cooler	
5055	1621 0471 00	4	Bracket	
5060	0301 2335 00	8	Washer	
5065	0291 1128 18	8	Lock nut	
5070	1621 2177 00	1	Hose assembly	
5075	0663 2107 77	1	O-ring	
5080	0634 1000 28	1	Victaulic coupling	
5085	1621 2459 00	1	Pipe	
5086	0686 3716 01	1	Plug	
5087	0661 1000 25	1	Seal washer	
5090	0663 2109 68	1	O-ring	
5095	0147 1362 03	2	Bolt	
5100	0301 2344 00	2	Washer	
5101	0634 1000 28	1	Victaulic	
5105	1621 2461 00	1	Pipe	
5106	0686 3716 01	1	Plug	
5107	0661 1000 25	1	Seal washer	
5110	0663 2108 00	1	O-ring	
5115	0147 1402 03	2	Bolt	
5120	0301 2358 00	2	Washer	
5125	0634 1000 28	1	Victaulic	
5130	1621 2176 00	1	Hose assembly	
5135	0663 2108 00	2	O-ring	
5140	0147 1362 03	2	Bolt	
5145	0301 2344 00	2	Washer	
5146	0246 1956 36	2	Stud	
5147	0266 2111 00	2	Nut	
5150	1621 2175 00	1	Hose assembly	
5155	0663 2107 77	1	O-ring	
5160	0634 1000 28	1	Victaulic coupling	
5165	1621 2458 00	1	Pipe	
5166	0686 3716 01	1	Plug	
5167	0661 1000 25	1	Seal washer	
5170	0663 2109 68	1	O-ring	
5175	0147 1362 03	2	Bolt	
5180	0301 2344 00	2	Washer	
5181	0634 1000 28	1	Victaulic coupling	
5185	1621 2460 00	1	Pipe	
5186	0686 3716 01	1	Plug	
5187	0661 1000 25	1	Seal washer	
5190	0663 2108 00	1	O-ring	
5195	0147 1402 03	2	Bolt	
5200	0301 2358 00	2	Washer	
5205	0634 1000 28	1	Victaulic	
5210	1621 2174 00	1	Hose assembly	
5215	0663 2108 00	1	O-ring	
5220	0147 1362 03	2	Bolt	
5225	0301 2344 00	2	Washer	
5250	1614 6028 00	2	Thermostatic valve housing	
5255	0147 1363 03	4	Bolt	
5260	0301 2344 00	4	Washer	
5265	1619 7560 00	2	Thermost.valve	
5270	0686 3716 07	2	Plug	
5275	0661 1000 30	2	Seal washer	
5280	1621 0483 00	2	Plug	
5285	0661 1000 33	2	Seal washer	
5290	1621 0482 00	2	Regulator	
5295	1621 0603 00	2	Label	
5300	0663 2109 73	2	O-ring	
5305	0266 2108 00	2	Nut	
5310	0301 2321 00	2	Washer	
6010	1621 1491 00	2	Cooler	
6015	1621 1492 00	2	Support	
6016	1619 2766 00	16	Bolt	
6025	1619 2861 05	4	Clamp	
6026	0248 9980 65	4	Threaded rod	
6030	0291 1128 20	8	Nut	
6035	0301 2344 00	12	Washer	
6045	1619 2861 05	4	Clamp	
6046	1079 1472 06	4	Bolt	
6050	1621 1441 00	1	Hose assembly	
6051	1619 2861 01	1	Clamp	
6052	1079 1472 06	1	Bolt	
6055	0663 2109 68	1	O-ring	
6060	0147 1363 03	2	Bolt	
6065	0301 2344 00	2	Washer	
6070	0663 2109 68	1	O-ring	
6075	0147 1362 03	2	Bolt	
6080	0301 2344 00	2	Washer	
6085	1621 1493 00	1	Hose assembly	
6090	0663 2109 68	1	O-ring	
6095	0147 1363 03	2	Bolt	
6100	0301 2344 00	2	Washer	
6105	0663 2109 68	1	O-ring	
6110	0147 1362 03	2	Bolt	
6115	0301 2344 00	2	Washer	
6155	1621 1495 00	1	Hose assembly	
6160	0663 2109 68	1	O-ring	
6165	0147 1363 03	2	Bolt	
6170	0301 2344 00	2	Washer	
6175	0663 2109 68	1	O-ring	
6180	0147 1362 03	2	Bolt	
6185	0301 2344 00	2	Washer	
6190	0686 3716 02	4	Plug	
6195	0661 1000 27	4	Seal washer	
6200	1621 2173 00	1	Hose assembly	
6205	0663 2109 68	1	O-ring	
6210	0246 1956 36	2	Stud	
6215	0266 2111 00	2	Nut	
6220	0663 2109 68	1	O-ring	
6225	0147 1362 03	2	Bolt	
6230	0301 2344 00	2	Washer	
7280	1621 2356 00	1	Wire harness	

1-2) Lined with / Bekleed met / Beklädd med / Ausgekleidet mit / Garnir de / Rivestido de / Allineato con / Foret med / Revestido com / Kledd med / Vuorattu :
   1) Foam : 0395 6001 69 (AR) 50 x 2040 x 1650 self-adhesive
   2) Foam : 0395 6001 60 (AR) 50 x 2040 x 1650

12


2270
1013 1012
1015
1050
1045
1020
1025
1035
1040
1030
1071
1072
1090
1095
1085
1075
1080
1070
1090
1095
1085
1130
1140
1135
1145
1120
1125
1160
1170
1165
1175
1150
1155
1010
1005
63133_08


63133_08

Frame and motor - GA (W)

12

Ref.	Part number	Qty	Name	Remarks
1005	1092 0132 00	1	Frame	
1010	1614 9851 00	2	Pin	
1012	0147 1555 03	8	Bolt	
1013	0300 0274 13	8	Washer	
1015		1	Support	
	1621 1452 00		GA 315 (W) ABB	
	1621 1450 00		GA 315 (W) Siemens	
	1621 1450 00		GA 355 (W) 50 Hz Siemens IP23	
	1621 1451 00		GA 355 (W) 50 Hz Siemens IP55 Medium voltage	
	1621 1450 00		GA 355 (W) 60 Hz Siemens	
	1621 1452 00		GA 355 (W) ABB	
	1621 1448 00		GA 400 (W) ABB	
	1621 1450 00		GA 400 (W) Siemens IP23	
	1621 1451 00		GA 400 (W) Siemens IP55 Medium voltage	
	1621 1448 00		GA 450 (W) ABB	
	1621 1450 00		GA 450 (W) Siemens IP23	
	1621 1451 00		GA 450 (W) Siemens IP55 Medium voltage	
	1621 1450 00		GA 500 (W) Siemens IP23	
	1621 1451 00		GA 500 (W) Siemens IP55 Medium voltage	
	1621 1451 00		WEG	
1020	0147 1630 03	1	Bolt	
1025	0301 2405 00	1	Washer	
1030	1614 6366 03	1	Antivibr.pad	
1035	0147 1475 03	4	Bolt	
1040	0301 2378 00	4	Washer	
1045	0147 1630 03	1	Bolt	
1050	0301 2405 00	1	Washer	
1070	1621 2335 00	1	Support	
1071	0147 1632 03	2	Bolt	
1072	0301 2405 00	2	Washer	
1075	0147 1630 03	2	Bolt	
1080	0301 2405 00	2	Washer	
1085	1614 6366 03	2	Antivibr.pad	
1090	0147 1475 03	8	Bolt	
1095	0301 2378 00	8	Washer	
1120	0017 2071 00	AR	Cable	
1125	1088 0010 25	2	Cable lug	
1130	0147 1360 03	1	Bolt	
1135	0147 1360 03	1	Bolt	
1140	0333 3232 00	1	Lock washer	
1145	0333 3232 00	1	Lock washer	
1150	0017 2071 00	AR	Cable	
1155	1088 0010 25	2	Cable lug	
1160	0147 1360 03	1	Bolt	
1165	0147 1360 03	1	Bolt	
1170	0333 3232 00	1	Lock washer	
1175	0333 3232 00	1	Lock washer	
2270		1	Motor	
			IEC ABB	
	1092 0919 01		GA 315 (W) 380V/50Hz WuXi	
	1080 4195 02		GA 315 (W) 400V/50Hz 1)	
	1080 4195 03		GA 315 (W) 500V/50Hz	
	1080 4195 04		GA 315 (W) 500V/50Hz 1)	
	1092 0945 01		GA 355 (W) 380V/50Hz WuXi	
	1080 4196 02		GA 355 (W) 400V/50Hz 1)	
	1080 4196 03		GA 355 (W) 500V/50Hz	
	1080 4196 04		GA 355 (W) 500V/50Hz 1)	
	1080 4196 21		GA 355 (W) 380V/60Hz	
	1080 4196 22		GA 355 (W) 380V/60Hz 1)	
	1080 4196 23		GA 355 (W) 440-460V/60Hz	
	1080 4196 24		GA 355 (W) 440-460V/60Hz 1)	
	1092 0946 01		GA 400 (W) 380V/50Hz WuXi	
	1080 4197 02		GA 400 (W) 400V/50Hz 1)	
	1080 4197 03		GA 400 (W) 500V/50Hz	
	1080 4197 04		GA 400 (W) 500V/50Hz 1)	
	1080 4197 21		GA 450 (W) 400V/50Hz	
	1080 4197 22		GA 450 (W) 400V/50Hz 1)	
	1080 4197 23		GA 450 (W) 500V/50Hz	
	1080 4197 24		GA 450 (W) 500V/50Hz 1)	
	1080 4197 31		GA 400 (W) 380V/60Hz	
	1080 4197 32		GA 400 (W) 380V/60Hz 1)	
	1080 4197 33		GA 400 (W) 440-460V/60Hz	
	1080 4197 34		GA 400 (W) 440-460V/60Hz 1)	
	1080 4197 37		GA 450 (W) 440-460V/60Hz	
	1080 4197 38		GA 450 (W) 440-460V/60Hz 1) CSA/UL WEG	
	1080 4199 02		GA 355 (W) 440-460V/60Hz	
	1080 4199 04		GA 355 (W) 575V/60Hz	
	1080 4199 12		GA 400 (W) 440-460V/60Hz	
	1080 4199 14		GA 400 (W) 575V/60Hz	
	1080 4199 22		GA 450 (W) 440-460V/60Hz	
	1080 4199 24		GA 450 (W) 575V/60Hz Medium voltage CSA/UL IP55	
	1080 2955 71		GA 355 (W) 2.3kV/60Hz	
	1080 2955 73		GA 355 (W) 3.3kV/60Hz	
	1080 2955 72		GA 355 (W) 3kV/60Hz	
	1080 2955 74		GA 355 (W) 4.16kV/60Hz	
	1080 2929 91		GA 400 (W) 2.3kV/60Hz	
	1080 2929 92		GA 400 (W) 3kV/60Hz	
	1080 2929 93		GA 400 (W) 3.3kV/60Hz	
	1080 2929 94		GA 400 (W) 4.16kV/60Hz	
	1080 2929 61		GA 450 (W) 2.3kV/60Hz	
	1080 2929 62		GA 450 (W) 3kV/60Hz	
	1080 2929 63		GA 450 (W) 3.3kV/60Hz	
	1080 2929 64		GA 450 (W) 4.16kV/60Hz	
	1080 2930 71		GA 500 (W) 2.3kV/60Hz	
	1080 2930 72		GA 500 (W) 3kV/60Hz	
	1080 2930 73		GA 500 (W) 3.3kV/60Hz	
	1080 2930 74		GA 500 (W) 4.16kV/60Hz Medium voltage IEC IP55	
	1080 2955 61		GA 315 (W) 3kV/50Hz	
	1080 2955 62		GA 315 (W) 3.3kV/50Hz	
	1080 2955 65		GA 315 (W) 6kV/50Hz	
	1080 2955 66		GA 315 (W) 6.6kV/50Hz	
	1080 2929 71		GA 355 (W) 3kV/50Hz	
	1080 2929 72		GA 355 (W) 3.3kV/50Hz	
	1080 2929 75		GA 355 (W) 6kV/50Hz	
	1080 2955 75		GA 355 (W) 6kV/60Hz	
	1080 2929 76		GA 355 (W) 6.6kV/50Hz	
	1080 2955 76		GA 355 (W) 6.6kV/60Hz	
	1080 2929 81		GA 400 (W) 3kV/50Hz	
	1080 2929 82		GA 400 (W) 3.3kV/50Hz	
	1080 2929 85		GA 400 (W) 6kV/50Hz	
	1080 2929 95		GA 400 (W) 6kV/60Hz	
	1080 2929 86		GA 400 (W) 6.6kV/50Hz	
	1080 2929 96		GA 400 (W) 6.6kV/60Hz	
	1080 2930 51		GA 450 (W) 3kV/50Hz	
	1080 2930 52		GA 450 (W) 3.3kV/50Hz	
	1080 2930 55		GA 450 (W) 6kV/50Hz	
	1080 2929 65		GA 450 (W) 6kV/60Hz	
	1080 2930 56		GA 450 (W) 6.6kV/50Hz	
	1080 2929 66		GA 450 (W) 6.6kV/60Hz	
	1080 2930 61		GA 500 (W) 3kV/50Hz	
	1080 2930 62		GA 500 (W) 3.3kV/50Hz	
	1080 2930 65		GA 500 (W) 6kV/50Hz	

12


2270
1013
1012
1071
1072
1050
1045
1015
1020
1025
1035
1040
1030
1090
1095
1085
1075
1080
1070
1090
1095
1085
1130
1140
1135
1145
1120
1125
1160
1170
1165
1175
1150
1155
1010
1005
63133_08


63133_08

Frame and motor - GA (W)

Ref.	Part number	Qty	Name	Remarks
	1080 2930 75		GA 500 (W) 6kV/60Hz	
	1080 2930 66		GA 500 (W) 6.6kV/50Hz	
	1080 2930 76		GA 500 (W) 6.6kV/60Hz	
			Medium voltage	
			CSA/UL IP23	
	1080 4077 31		GA 355 (W) 2.3kV/60Hz	
	1080 4077 32		GA 355 (W) 3kV/60Hz	
	1080 4077 33		GA 355 (W) 3.3kV/60Hz	
	1080 4077 34		GA 355 (W) 4.16kV/60Hz	
	1080 4077 41		GA 400 (W) 2.3kV/60Hz	
	1080 4077 42		GA 400 (W) 3kV/60Hz	
	1080 4077 43		GA 400 (W) 3.3kV/60Hz	
	1080 4077 44		GA 400 (W) 4.16kV/60Hz	
	1080 4077 51		GA 450 (W) 2.3kV/60Hz	
	1080 4077 52		GA 450 (W) 3kV/60Hz	
	1080 4077 53		GA 450 (W) 3.3kV/60Hz	
	1080 4077 54		GA 450 (W) 4.16kV/60Hz	
	1080 2946 71		GA 500 (W) 2.3kV/60Hz	
	1080 2946 72		GA 500 (W) 3kV/60Hz	
	1080 2946 73		GA 500 (W) 3.3kV/60Hz	
	1080 2946 74		GA 500 (W) 4.16kV/60Hz	
			Medium voltage IEC IP23	
	1080 4077 01		GA 315 (W) 3kV/50Hz	
	1080 4077 02		GA 315 (W) 3.3kV/50Hz	
	1092 0947 05		GA 315 (W) 6kV/50Hz	WuXi
	1092 0947 04		GA 315 (W) 10kV/50Hz	WuXi
	1080 4077 11		GA 355 (W) 3kV/50Hz	
	1080 4077 12		GA 355 (W) 3.3kV/50Hz	
	1080 4077 16		GA 355 (W) 6.6kV/50Hz	
	1080 4077 36		GA 355 (W) 6.6kV/60Hz	
	1092 0945 15		GA 355 (W) 6kV/50Hz	WuXi
	1092 0945 16		GA 355 (W) 10kV/50Hz	WuXi
	1080 4077 21		GA 400 (W) 3kV/50Hz	
	1080 4077 22		GA 400 (W) 3.3kV/50Hz	
	1080 4077 26		GA 400 (W) 6.6kV/50Hz	
	1080 4077 46		GA 400 (W) 6.6kV/60Hz	
	1092 0949 25		GA 400 (W) 6kV/50Hz	WuXi
	1092 0949 26		GA 400 (W) 10kV/50Hz	WuXi
	1080 2946 81		GA 450 (W) 3kV/50Hz	
	1080 2946 82		GA 450 (W) 3.3kV/50Hz	
	1092 0950 85		GA 450 (W) 6kV/50Hz	WuXi
	1092 0950 86		GA 450 (W) 10kV/50Hz	WuXi
	1080 2946 86		GA 450 (W) 6.6kV/50Hz	
	1080 4077 56		GA 450 (W) 6.6kV/60Hz	
	1080 2946 61		GA 500 (W) 3kV/50Hz	
	1080 2946 62		GA 500 (W) 3.3kV/50Hz	
	1092 0951 00		GA 500 (W) 6kV/50Hz	WuXi
	1092 0918 66		GA 500 (W) 10kV/50Hz	WuXi
	1080 2946 66		GA 500 (W) 6.6kV/50Hz	
	1080 2946 76		GA 500 (W) 6.6kV/60Hz	

1) With Anti Condensation Heaters and PT1000s in the windings and bearings

13


3130
5020
1010
3110
3105
3055
3100
3060
2055
2060
2080
2075
2065
2070
2085
3040
3010
2040
2050
2045
2100
4010
4005
2090
2095
3045
3030
3020
3035
2110
2105
3015
5010
1030
1020
3140
5030
3025
3070
3050
5040
3150
3155
3065
2055
2065
2060
2080
2075
2070
2085
2090
2095
5050
3095
1035
3085
3080
63174_09

63174_09


Regulating system - GA (W)

13

Ref.	Part number	Qty	Name	Remarks
1010		1	Regulator	
	1900 0710 82		PT1000 and Anti CONDensation heaters	
	1900 0710 62		PT100 and Anti CONDensation heaters	
1020	1622 0661 02	1	Cable	
1030		1	Wire harness	
	1621 2355 00		SPM monitoring 1)	
1035	0348 0102 06	10	Cable tie	
2040	0574 9874 05	2	Hose assembly	
2045	2250 4983 00	2	Nipple	
2050	0661 1000 30	4	Seal washer	
2055	0661 1000 24	2	Seal washer	
2060	1615 3624 00	2	Nozzle	
2065	0661 1000 24	2	Seal washer	
2070	1079 5840 01	2	Nipple	
2075	0661 1000 25	2	Seal washer	
2080	0580 0400 03	2	Str.coupling	
2085	0575 0361 18	2	Hose assembly	
2090	0661 1000 24	2	Seal washer	
2095	1079 5840 01	2	Nipple	
2100	0574 9841 23	2	Hose assembly	
2105	1619 5205 00	2	Nipple	
2110	0661 1000 25	2	Seal washer	
3010	1089 0574 40	1	Temp. sensor	
3015	1089 0574 40	1	Temp. sensor	
3020	1089 0574 40	1	Temp. sensor	
3025	1089 0574 40	1	Temp. sensor	
3030	1089 0574 40	1	Temp. sensor	
3035	1089 0574 40	1	Temp. sensor	
3040	1089 9625 33	1	Press.transducer	
3045	1089 9625 33	1	Press.transducer	
3050	1089 9625 33	1	Press.transducer	
3055	1089 9625 36	1	Press.transducer	
3060	1089 9625 01	1	Dp transducer	
3065	1089 9625 01	1	Dp transducer	
3070	1623 1438 00	1	Wire harness	
3080	0266 2110 00	2	Hexagon nut	
3085	0301 2335 00	2	Washer	
3095	0348 0102 08	14	Cable tie	
3100		1	Regulator	
	1900 0710 31		European display	
	1900 0712 91		Asian display	
3105	0160 6039 00	4	Screw	
3110	0301 2315 00	4	Washer	
3130	1900 0710 41	1	Regulator	
3140	1622 0661 04	1	Cable	
3150	2250 4983 00	2	Nipple	
3155	0661 1000 30	2	Seal washer	
4005		2	Hexagon nipple	
	0603 4106 03		10 bar(e)	
	0603 4106 03		10.4 bar(e)	
	0603 4106 03		13 bar(e)	
	0603 4106 03		13.8 bar(e)	
4010		2	Valve	
	1621 4241 00		10 bar(e)	
	1621 4241 00		10.4 bar(e)	
	1621 4241 00		13 bar(e)	
	1621 4241 00		13.8 bar(e)	
5010		2	Dp transducer	
	1089 9625 01		Tubecooler	
5020		1	Regulator	
	1900 0710 41		Tubecooler	
5030		1	Cable	
	1622 0661 02		Tubecooler	
5040		1	Wire harness	
	1621 2698 00		Tubecooler	
5050		6	Cable tie	
	0348 0102 08		Tubecooler	

1) SPM vibration monitoring / SPM trillingskontrole / SPM vibrationskontroll / SPM Vibrationsüberwachung / Contrôle de vibrations SPM / Supervisión de vibraciones SPM / Monitorraggio delle vibrazioni SPM

14


1030
1075
1051
1060
1130
1175
1151
1160
1065
1070
1035
1040
1165
1170
1135
1140
1120
1055
1010
1045
1015
1050
1020
1025
1026
1125
1126
1155
1110
1145
1115
1150
63182_06


63182_06

Drain system - Basic drain

Ref.	Part number	Qty	Name	Remarks
1010	0661 1000 25	1	Seal washer	
1015	0581 0000 45	1	Pipe coupling	
1020	0070 6002 06	71	Plastic tube	
1025	0348 0102 08	1	Cable tie	
1026	0348 0102 08	1	Cable tie	
1030	0581 0000 86	1	Pipe coupling	
1035	0653 1124 00	1	Flat gasket	
1040	0581 0000 53	1	Pipe coupling	
1045	0653 1062 00	1	Flat gasket	
1050	0581 0000 45	1	Pipe coupling	
1051	0661 1000 25	1	Seal washer	
1055	0070 6002 06	AR	Plastic tube	
1060	0581 0000 86	1	Pipe coupling	
1065	0653 1124 00	1	Flat gasket	
1070	0581 0000 53	1	Pipe coupling	
1075	0852 0010 33	1	Ball valve	

Ref.	Part number	Qty	Name	Remarks
1110	0661 1000 25	1	Seal washer	
1115	0581 0000 45	1	Pipe coupling	
1120	0070 6002 06	AR	Plastic tube	
1125	0348 0102 08	1	Cable tie	
1126	0348 0102 08	1	Cable tie	
1130	0581 0000 86	1	Pipe coupling	
1135	0653 1124 00	1	Flat gasket	
1140	0581 0000 53	1	Pipe coupling	
1145	0653 1062 00	1	Flat gasket	
1150	0581 0000 45	1	Pipe coupling	
1151	0661 1000 25	1	Seal washer	
1155	0070 6002 06	AR	Plastic tube	
1160	0581 0000 86	1	Pipe coupling	
1165	0653 1124 00	1	Flat gasket	
1170	0581 0000 53	1	Pipe coupling	
1175	0852 0010 33	1	Ball valve	

15


1110
1260
1115
1105
1005
1095
1100
1030
1035
1080
1085
1015
1010
1020
1025
1065
1070
1045
1050
1040
1055
1075
1060
1130
1155
1245
1250
1255
1265
1180
1185
1230
1235
1165
1160
1170
1175
1215
1220
1195
1200
1190
1205
1225
1210
62268_06


62268_06

Drain system - Electronic drain

Ref.	Part number	Qty	Name	Remarks
1005		1	Drain valve	
	8102 0425 80		IEC	
	8102 0425 98		CSA/UL	
1010	1617 1768 00	1	Support	
1015	1619 2766 00	3	Bolt	
1020	0661 1000 29	1	Seal washer	
1025	0605 8700 84	1	Bushing	
1030	0661 1000 29	1	Seal washer	
1035	0605 8820 05	1	Bushing	
1040	0581 0000 71	1	Pipe coupling	
1045	0661 1000 27	1	Seal washer	
1050	0661 1000 25	1	Seal washer	
1055	1613 8084 00	1	Pipe coupling	
1060	0070 6002 13	AR	Plastic tube	
1065	0661 1000 27	1	Seal washer	
1070	0581 0000 71	1	Pipe coupling	
1075	0070 6002 05	AR	Plastic tube	
1080	0661 1000 25	1	Seal washer	
1085	0581 0000 35	1	Pipe coupling	
1095	0581 0001 04	1	Pipe coupling	
1100	0070 6002 13	AR	Plastic tube	
1105	0581 0000 71	1	Pipe coupling	
1110	0581 0000 86	1	Pipe coupling	
1115	0661 1000 27	1	Seal washer	
1130		4	Cable tie	
	0348 0102 08		CSA/UL	

Ref.	Part number	Qty	Name	Remarks
1155		1	Drain valve	
	8102 0425 80		IEC	
	8102 0425 98		CSA/UL	
1160	1617 1768 00	1	Support	
1165	1619 2766 00	3	Bolt	
1170	0661 1000 29	1	Seal washer	
1175	0605 8700 84	1	Bushing	
1180	0661 1000 29	1	Seal washer	
1185	0605 8820 05	1	Bushing	
1190	0581 0000 71	1	Pipe coupling	
1195	0661 1000 27	1	Seal washer	
1200	0661 1000 25	1	Seal washer	
1205	1613 8084 00	1	Pipe coupling	
1210	0070 6002 13	AR	Plastic tube	
1215	0661 1000 27	1	Seal washer	
1220	0581 0000 71	1	Pipe coupling	
1225	0070 6002 05	AR	Plastic tube	
1230	0661 1000 25	1	Seal washer	
1235	0581 0000 35	1	Pipe coupling	
1245	0581 0001 04	1	Pipe coupling	
1250	0070 6002 13	AR	Plastic tube	
1255	0581 0000 71	1	Pipe coupling	
1260	0581 0000 86	1	Pipe coupling	
1265	0661 1000 27	1	Seal washer	

16



OSD 315
1275
1285
1245
1250
1255
1280
3050
3055
3030
3015
3045
3006
3005
3060
3065
3035
3040
3007
3008
3010
1288
1295
1285
1335
1340
1325
1320
1330
1270
1265
1260
1230
1075
1085
1045
1050
1055
1080
2050
2055
2030
2015
2045
2006
2005
2060
2065
2035
2040
2007
2008
2010
1010
1025
1020
1015
1225
1220
1215
1030
1125
1120
1130
1070
1065
1060
1110
1310
1095
1090
1085
1135
1140
1115
1300
1315
1100
1145
1150
1345
1350
62269_06

62269_06

Drain system - Oil Separator Condensate drain

Ref.	Part number	Qty	Name	Remarks
1010	1621 2303 00	1	Support	
1015	1619 2766 00	4	Bolt	
1020	0147 1322 03	3	Bolt	
1025	0301 2335 00	3	Washer	
1030	1613 9735 00	1	Oil can	
1045	1613 7335 00	1	Hose nipple	
1050	0070 6002 14	AR	Flexible	
1055	0560 0200 61	1	Elbow	
1060	0070 6002 03	AR	Flexible	
1065	0581 0000 35	1	Pipe coupling	
1070	0661 1000 25	2	Seal washer	
1075	1614 9706 00	1	Hose nipple	
1080	0070 6002 28	AR	Plastic tube	
1085	0347 6110 00	2	Hose clip	
1090	1614 9876 00	1	Hose nipple	
1095	0661 1000 31	1	Seal washer	
1100	1614 9881 00	1	Bushing	
1110	0348 0102 06	4	Cable tie	
1115	1079 9910 97	1	Label	
1120	0581 0000 45	1	Pipe coupling	
1125	0661 1000 25	1	Seal washer	
1130	0070 6002 06	AR	Plastic tube	
1135	0581 0000 53	1	Pipe coupling	
1140	0653 1124 00	1	Flat gasket	
1145	0581 0000 86	1	Pipe coupling	
1150	0852 0010 33	1	Ball valve	
1215	1619 2766 00	4	Bolt	
1220	0147 1322 03	3	Bolt	
1225	0301 2335 00	3	Washer	
1230	1613 9735 00	1	Oil can	
1245	1613 7335 00	1	Hose nipple	
1250	0070 6002 14	AR	Flexible	
1255	0560 0200 61	1	Elbow	
1260	0070 6002 03	AR	Flexible	
1265	0581 0000 35	1	Pipe coupling	
1270	0661 1000 25	2	Seal washer	
1275	1614 9706 00	1	Hose nipple	
1280	0070 6002 28	AR	Plastic tube	
1285	0347 6110 00	2	Hose clip	
1290	1614 9876 00	1	Hose nipple	
1295	0661 1000 31	1	Seal washer	
1300	1614 9881 00	1	Bushing	
1310	0348 0102 06	4	Cable tie	
1315	1079 9910 97	1	Label	
1320	0581 0000 45	1	Pipe coupling	
1325	0661 1000 25	1	Seal washer	
1330	0070 6002 06	AR	Plastic tube	
1335	0581 0000 53	1	Pipe coupling	
1340	0653 1124 00	1	Flat gasket	
1345	0581 0000 86	1	Pipe coupling	
1350	0852 0010 33	1	Ball valve	
2005	1614 9351 00	1	Housing	
2006	1613 7299 00	1	Strainer	
2007	9125 6295 00	1	Seal washer	
2008	1613 7297 00	1	Check valve	
2010	1614 9352 00	1	Oil filter	
2015	1614 9707 00	1	Cover	
2020	0661 1000 25	1	Seal washer	
2025	1614 9363 00	1	Pipe coupling	
2030	1079 9913 69	1	Inform.label	
2035	1079 9912 28	1	Inform.label	
2040	1079 9912 07	1	Inform.label	
2045	1079 9920 17	1	Inform.label	
2050	0686 3716 45	1	Hexagon plug	
2055	0661 1000 27	1	Seal washer	
2060	0686 3716 44	1	Hexagon plug	
2065	0661 1000 25	1	Seal washer	
3005	1614 9351 00	1	Housing	
3006	1613 7299 00	1	Strainer	
3007	9125 6295 00	1	Seal washer	
3008	1613 7297 00	1	Check valve	
3010	1614 9352 00	1	Oil filter	
3015	1614 9707 00	1	Cover	
3020	0661 1000 25	1	Seal washer	
3025	1614 9363 00	1	Pipe coupling	
3030	1079 9913 69	1	Inform.label	
3035	1079 9912 28	1	Information label	
3040	1079 9912 07	1	Information label	
3045	1079 9920 17	1	Information label	
3050	0686 3716 45	1	Hexagon plug	
3055	0661 1000 27	1	Seal washer	
3060	0686 3716 44	1	Hexagon plug	
3065	0661 1000 25	1	Seal washer	

17


1020
1025
1045
5010
5005
1035
1030
1040
1090
1085
1076
1095
1055
2040
1030
1040
2030
1030
1041
1050
2040
2025
2035
2020
2050
2015
1035
2010
3040
3030
3035
3015
3010
3025
3050
GA 500 W
4315
1015
1035
1075
1040
1010
1035
1030
1040
1065
1070
1015
1030
1040
1041
1010
63193_10

63193_10


Bodywork - GA (W)

Ref.	Part number		Qty	Name	Remarks
1010	**1614 9502 80**		**2**	**Stay**	1)
1015	1619 2766 00		4	Bolt	
1020			**1**	**Stay**	1)
	1621 2129 80			IP55	
	1621 2234 80			IP23, IP55 Medium voltage	
		•	2	Label	
	1079 9910 95			IP55	
		•	2	Label	
	1079 9910 96			IP55	
1025	1619 2766 00		3	Bolt	
1030	**1092 0012 10**			**Stay**	1)
	1079 9901 09	•	1	Label	
1035	1619 2766 00		8	Bolt	
1040	**1614 9592 80**		**6**	**Door**	1)
	2252 7237 00	•	4	Doorlock	
	1619 5188 00	•	AR	Seal	
1041	**1614 9592 81**		**2**	**Door**	1)
	0690 1140 01	•	1	House mark	
	2252 7237 00	•	4	Doorlock	
	1619 5188 00	•	AR	Seal	
1045	**1614 9593 81**		**1**	**Door**	1)
	0690 1140 01	•	1	House mark	
	2252 7237 00	•	4	Doorlock	
	1619 5188 00	•	AR	Seal	
1050	**1621 2131 80**		**1**	**Door**	1)
	2252 7237 00	•	5	Doorlock	
	1619 5188 00	•	AR	Seal	
	1613 1312 34	•	2	Strip	
1055	**1621 2133 80**		**1**	**Door**	1)
	2252 7237 00	•	2	Doorlock	
	0690 1140 01	•	1	House mark	
1065	**1621 2135 80**		**1**	**Stay**	1)
	1079 9913 69	•	1	Inform.label	
	1079 9913 79	•	1	Inform.label	
	1079 9901 09	•	1	Label	
1070	1619 2766 00		4	Bolt	
1075	1089 9068 01		1	Key	
1076			1	Flange	
	1088 0412 06			IP23, IP55 Medium voltage	
1085			4	Bolt	
	0147 1325 03			IP23, IP55 Medium voltage	
1090			4	Washer	
	0301 2335 00			IP23, IP55 Medium voltage	
1095			4	Hexagon nut	
	0266 2110 00			IP23, IP55 Medium voltage	

Ref.	Part number		Qty	Name	Remarks
2010	**1621 1468 80**		**1**	**Roof**	2)
	1613 1312 30	•	4	Strip	
2015	1079 1472 06		17	Bolt	
2020	**1621 1470 80**		**1**	**Roof**	2)
	1613 1312 30	•	4	Strip	
2025	1079 1472 06		10	Bolt	
2030	**1621 1473 80**		**1**	**Roof**	1)
2035			**1**	**Roof**	
	1621 1476 80			IP23	1)
	1621 1488 80			IP55	2)
	1613 1312 15	•	4	Strip	
2040				Bolt	
	1079 1472 06		15	IP23	
	1079 1472 06		18	IP55	
2050			1	Support	
	1621 1462 00			IP55	
3010	**1621 2111 80**		**1**	**Baffle**	
	1619 6449 00	•	22	Seal	
3015	**1621 2112 80**		**1**	**Baffle**	
	1619 6449 00	•	16	Seal	
3025	1079 1472 06		17	Bolt	
3030	1621 2113 00		1	Baffle	
3035	1621 2114 00		1	Baffle	
3040	1079 1472 06		32	Bolt	
3050	1503 1056 00		40	Seal	
4315			1	Label	
	1614 9425 28			GA 315 W	
	1614 9425 53			GA 355 W	
	1614 9425 54			GA 400 W	
	1614 9425 55			GA 450 W	
	1614 9425 56			GA 500 W	
5005			1	Data plate	
	1614 8057 08			CE	
	1614 8057 05			ASME, DIR, SINGAPORE, CHINA	
5010	0129 3104 00		4	Blind rivet	

1-2) Lined with / Bekleed met / Beklädd med / Ausgekleidet mit / Garnir de / Rivestido de / Allineato con / Foret med / Revestido com / Kledd med / Vuorattu :
1) Foam : 0395 6001 69 (AR) 50 x 2040 x 1650 self-adhesive
2) Foam : 0395 6001 60 (AR) 50 x 2040 x 1650

18 Bodywork - Motor extension - IP55 Medium voltage




63214_10

Ref.	Part number	Qty	Name	Remarks
1005		**2**	**Panel**	1)
	1621 2139 80		IP55 Medium voltage	
1010	1079 1472 06 •	18	Bolt	
1015		**2**	**Panel**	1)
	1621 2141 80		IP55 Medium voltage	
1020	1079 1472 06	8	Bolt	
1025	**1621 2131 80**	**1**	**Door**	1)
	2252 7237 00 •	5	Doorlock	
	1619 5188 00 •	AR	Seal	
	1613 1312 34 •	2	Strip	
1045	1079 1472 06	4	Bolt	

1-2) Lined with / Bekleed met / Beklädd med / Ausgekleidet mit / Garnir de / Rivestido de / Allineato con / Foret med / Revestido com / Kledd med / Vuorattu :
1) Foam : 0395 6001 69 (AR) 50 x 2040 x 1650 self-adhesive


Bodywork - Motor baffles



63215_10

Ref.	Part number	Qty	Name	Remarks
1045	1621 2213 00	1	Baffle	
1050	1621 2116 00	1	Baffle	
1055	1619 2766 00	10	Bolt	
1065	1079 1472 06	19	Bolt	
2005		1	Baffle	
	1621 1483 00		GA 315 50Hz	Siemens
	1621 2670 00		GA 315	ABB
	1621 1480 00		GA 355	ABB
	1621 1484 00		GA 355 50Hz	Siemens
	1622 1483 00		GA 355 60Hz	Siemens
	1621 1479 00		GA 400	ABB
	1622 1484 00		GA 400	Siemens
	1622 1479 00		GA 450	ABB
	1623 1484 00		GA 450	Siemens
	1624 1484 00		GA 500	Siemens
	1621 1482 00		WEG	
2010	1619 6449 00	AR	Seal	

20


3010
1128
1120
1110
1135
1100
1135
1130
1175
1125
1180
1160
1155
1185
1145
1150
1142
2050
2040 2045
1140
2025
2040 2045
2035
2015
2010
1035
2055
1080
3020
1070
1045
1040
1090
1225
1020
1015
1095
1210
2005
1085
1090
2020
1200
1098
2060
1220
1097
63221_10


63221_10

Bodywork - Cubicle box

Ref.	Part number	Qty	Name	Remarks
1015	1619 2766 00	7	Bolt	
1020	1619 2766 00	6	Bolt	
1035	1089 9154 02	2	Key	
1040	1621 0478 00	1	Label	
1045	1088 1001 01	1	Warning mark	
1070	0147 1360 03	2	Bolt	
1080		1	Support	
	1621 3192 00		GA 315 (A/W)	
	1621 3192 00		GA 355 (A/W)	
	1621 3192 00		GA 400 (A/W)	
	1621 3192 00		GA 450 (A/W)	
1085		1	Screen	
	1621 2673 00		GA 315 (A/W)	
	1621 2673 00		GA 355 (A/W)	
	1621 2673 00		GA 400 (A/W)	
	1621 2673 00		GA 450 (A/W)	
1090		4	Knurled nut	
	1614 6596 00		GA 315 (A/W)	
	1614 6596 00		GA 355 (A/W)	
	1614 6596 00		GA 400 (A/W)	
	1614 6596 00		GA 450 (A/W)	
1095			Warning mark	
	1088 1001 04	3	GA 315 (A/W) IEC	
	1088 1001 04	3	GA 355 (A/W) IEC	
	1088 1001 04	1	GA 315 (A/W) CSA/UL	
	1088 1001 04	1	GA 355 (A/W) CSA/UL	
1097		1	Label	
	1613 3431 00		CSA/UL	
1098		1	Label	
	1079 9905 49		IP23, IP55 Medium voltage	
1100		1	Cable box	
	1621 1235 00		IEC	
1110		1	Flange	
	1614 7146 00		CSA/UL	
	1614 7146 00		IP23, IP55 Medium voltage	
1120		1	Gasket	
	1614 7145 00		CSA/UL	
	1614 7145 00		IP23, IP55 Medium voltage	
1125		1	Seal	
	1614 6567 00		IEC	
1128		6	Bolt	
	0147 1325 03		CSA/UL	
	0147 1325 03		IP23, IP55 Medium voltage	
1130		6	Bolt	
	0147 1322 03		IEC	
1135		6	Washer	
	0301 2335 00		IEC	
1140		6	Hexagon nut	
	0266 2110 00		CSA/UL	
	0266 2110 00		IP23, IP55 Medium voltage	
1142		1	Plate	
	1621 1309 00		IEC	
1145		2	Bolt	
	0147 1322 03		IEC	
1150		2	Washer	
	0301 2335 00		IEC	
1155		4	Clamp	
	1614 6562 00		IEC	
1160		4	Clamp	
	1614 6563 00		IEC	
1175		8	Bolt	
	0147 1961 27		IEC	
1180		8	Washer	
	0301 2321 00		IEC	
1185		8	Nut	
	0266 2108 00		IEC	
1200		1	Label	
	1079 9901 29		GA 315 (A/W)	
	1079 9901 29		GA 355 (A/W)	
	1079 9901 29		GA 400 (A/W)	
	1079 9901 29		GA 450 (A/W)	
1210		1	Label	
	1079 9901 67		GA 315 (A/W)	
	1079 9901 67		GA 355 (A/W)	
	1079 9901 67		GA 400 (A/W)	
	1079 9901 67		GA 450 (A/W)	
1220		1	Label	
	1613 3431 00		CSA/UL	
1225		1	Listing mark	
	1613 5330 00		CSA/UL	
		1	**Cubicle ass'y** 1)	
	1621 2272 80		GA 315 (A/W)	
	1621 2272 80		GA 355 (A/W)	
	1621 2272 80		IP23, IP55 Medium voltage	
	1621 2633 80		GA 400 (A/W)	
	1621 2633 80		GA 400 (A/W)	
2005	•	1	Cubicle	
	1621 2272 00		GA 315 (A/W)	
	1621 2272 00		GA 355 (A/W)	
	1621 2272 00		IP23, IP55 Medium voltage	
	1621 2633 00		GA 400 (A/W)	
	1621 2633 00		GA 400 (A/W)	
2010	1621 2273 00 •	1	Door	
2015	1619 7704 00 •	3	Lock	
2020	1614 9106 03 •	3	Pin	
2025	1202 6584 00 •	AR	Seal	
2035	1621 2357 00 •	1	Raceway	
2040	0301 2335 00 •	5	Washer	
2045	0277 1310 00 •	5	Cap nut	
2050	1621 2358 00 •	1	Raceway	
2055	1079 9901 09 •	1	Label	
2060	1079 9923 72 •	2	Label	
		1	**Fan+filter**	
	2000 0211 16		GA 400 (A/W) IEC	
	2000 0211 16		GA 450 (A/W) IEC	
	2000 0211 17		GA 400 (A/W) CSA/UL	
	2000 0211 17		GA 450 (A/W) CSA/UL	
3010	•	1	Fan	
	1089 0598 01		GA 400 (A/W) IEC	
	1089 0598 01		GA 450 (A/W) IEC	
	1089 0598 02		GA 400 (A/W) CSA/UL	
	1089 0598 02		GA 450 (A/W) CSA/UL	
3020	1089 0598 03 •	1	Filter	

1) Lined with / Bekleed met / Beklädd med / Ausgekleidet mit / Garnir de / Rivestido de / Allineato con / Foret med / Revestido com / Kledd med / Vuorattu :
   1) Foam : 0395 6001 69 (AR) 50 x 2040 x 1650 self-adhesive

21


1270
1260
1110
1120
1130
1320
1010
1040
1030
MOUNTING PANEL
earthing
1140
1020
1290
1280
1050
1210
1190
1150
1160
1200
1180
1220
1100
1090
CUBICLE
DOOR
1250
1230
1240
1170
DETAIL E
1060
1070
1080
62247_12


62247_12

Start cubicle - star/delta
- IEC - GA315 400-500V/50Hz, GA355 380V/60Hz, GA355 400-500V/50Hz, GA400 460V/60Hz, GA400 500V/50Hz, GA450 500V/50Hz

21

Ref.	Part number	Qty	Name	Remarks
		1	**Cubicle**	
	1092 0724 00		GA315 380V/50Hz	
	1900 3147 14		GA315 500V/50Hz	
	1900 3147 50		GA355 380V/60Hz	
	1092 0724 00		GA355 380V/50Hz	
	1900 3147 14		GA355 500V/50Hz	
	1900 3147 50		GA400 460V/60Hz	
	1900 3147 50		GA400 500V/50Hz	
	1900 3147 50		GA450 500V/50Hz	
1010	1079 9906 09 •	1	Label	
1020	9823 1897 31 •	1	Label	
1030	1613 6639 00 •	1	Data plate	
1040	1079 9901 68 •	1	Label	
1050	1091 6364 06 •	6	Terminal	
1060	1091 6362 03 •	1	Connector	
1070	1091 6362 10 •	1	Connector	
1080	1091 6362 02 •	1	Connector	
1090	1091 6364 27 •	7	Terminal	
1100	1091 6364 62 •	31	Terminal	
1110	1091 6362 49 •	1	Connector	
1120	1091 6362 29 •	1	Connector	
1130	1091 6362 30 •	1	Connector	
1140	1091 6362 13 •	1	Connector	
1150	1091 6365 25 •	2	Fuse	
1160	1091 6365 01 •	2	Fuse holder	
1170	1091 6367 24 •	1	Overload relay	
1180	1091 6369 11 •	1	Circuit breaker	
1190	1091 6369 04 •	2	Circuit breaker	
1200	1091 6369 10 •	1	Circuit breaker	
1210	1091 6365 23 •	2	Circuit breaker	
1220	1091 6378 28 •	1	Contactor	
1230	•	2	Contactor	
	1089 9415 74			GA315 500V/50Hz, GA355 500V/50Hz
	1091 6371 83			GA355 380V/50Hz, GA315 380V/50Hz
	1089 9415 75			GA400-450 500V/50Hz, GA355 380V/60Hz, GA400 460V/60Hz
1240	1091 6371 13 •	2	Contact block	
1250	•	1	Contactor	
	1089 9415 78			GA315 500V/50Hz, GA355 500V/50Hz
	1091 6371 80			GA355 380V/50Hz, GA315 380V/50Hz
	1089 9415 80			GA400-450 500V/50Hz, GA355 380V/60Hz, GA400 460V/60Hz
1260	1091 6363 51 •	1	Emergency stop button	
1270	1091 6363 50 •	2	Contact block	
1280	1091 6376 52 •	1	Trafo	
1290	1091 6367 97 •	1	Trafo	
1320	1621 4047 00 •	1	Mounting plate	

22



1260
1250
1110
1120
1130
1310
1010
1040
1030
MOUNTING PANEL
earthing E1
1140
1020
T2
1280
T1
1270
PE
LK50/50
1050
1210
1190
1150
1160
1100
1090
1240
1200
1180
1220
K22
K23
K21
1230
1230
F21
1170
CUBICLE
DOOR
LK75/50
DETAIL E
DETAIL E
200
1060
1070
1080
LK75/50
62249_12
■ : pin removed from connector

62249_12

Start cubicle - star/delta
- IEC - GA355 460V/60Hz, GA400 380V/60Hz, GA400 400V/50Hz, GA450 400V/50Hz, GA450 460V/60Hz

Ref.	Part number		Qty	Name	Remarks
			1	**Cubicle**	
	1900 3147 51			GA355 460V/60Hz	
	1900 3147 51			GA400 380V/60Hz	
	1092 0726 00			GA400 380V/50Hz	
	1900 3147 52			GA450 400V/50Hz	
	1900 3147 52			GA450 460V/60Hz	
1010	1079 9906 09	•	1	Label	
1020	9823 1897 31	•	1	Label	
1030	1613 6639 00	•	1	Data plate	
1040	1079 9901 68	•	1	Label	
1050	1091 6364 06	•	6	Terminal	
1060	1091 6362 03	•	1	Connector	
1070	1091 6362 10	•	1	Connector	
1080	1091 6362 02	•	1	Connector	
1090	1091 6364 27	•	7	Terminal	
1100	1091 6364 62	•	31	Terminal	
1110	1091 6362 49	•	1	Connector	
1120	1091 6362 29	•	1	Connector	
1130	1091 6362 30	•	1	Connector	
1140	1091 6362 13	•	1	Connector	
1150	1091 6365 25	•	2	Fuse	
1160	1091 6365 01	•	2	Fuse	
1170	1091 6376 24	•	1	Overload relay	
1180	1091 6369 11	•	1	Circuit breaker	
1190	1091 6369 11	•	2	Circuit breaker	
1200	1091 6369 10	•	1	Circuit breaker	
1210	1091 6369 23	•	2	Circuit breaker	
1220	1091 6378 28	•	1	Contactor	
1230		•	2	Contactor	
	1091 6371 83				GA355 460V/60Hz, GA400 380V/60Hz, GA400 380V/50Hz
	1089 9221 15				GA450 400V/50Hz, GA450 460V/60Hz
1240		•	1	Contactor	
	1091 6371 80				GA355 460V/60Hz, GA400 380V/60Hz, GA400 380V/50Hz
	1089 9415 75				GA450 400V/50Hz, GA450 460V/60Hz
1250	1091 6363 51	•	1	Emergency stop button	
1260	1091 6363 50	•	2	Contact block	
1270	1091 6376 52	•	1	Trafo	
1280	1091 6367 97	•	1	Trafo	
1310	1621 4049 00	•	1	Mounting plate	

23


1240
1250
1110
1120
1130
1300
1010
1040
1042
1030
MOUNTING PANEL
earthing EI
1140
1230
1270
1260
1020
1050
1200
1180
1160
1150
1190
1170
1044
1210
1100
1090
CUBICLE
DOOR
DETAIL E
1060
1070
1080
LK75/50
; pin removed from connector
62251_12

62251_12

Start cubicle - without starter
- Without motor - 3-3.3-6-6.6kV/50Hz IEC, 2.3 -3.3-4.16-6.6kV/60Hz CSA/UL

Ref.	Part number		Qty	Name	Remarks
			1	**Cubicle**	
	1092 0727 00			3kV/50Hz IEC	
	1092 0727 00			3.3kV/50Hz IEC	
	1092 0727 00			6kV/50Hz IEC	
	1092 0727 00			6.6kV/50Hz IEC	
	1092 0727 00			Without motor	
	1900 3148 01			2.3kV/60Hz CSA/UL	
	1900 3148 01			3.3kV/60Hz CSA/UL	
	1900 3148 01			4.16kV/60Hz CSA/UL	
	1900 3148 01			6.6kV/60Hz CSA/UL	
	1900 3148 01			Without motor	
1010	1079 9906 09	•	1	Label	
1020	9823 1897 32	•	1	Label	
1030	1613 6639 00	•	1	Data plate	
1040	1079 9901 68	•	1	Label	
1042		•	1	Label type 1	
	1079 9911 01			CSA/UL	
1044		•	1	Fuse label	
	1079 9922 74			CSA/UL	
1050	1091 6364 06	•	6	Terminal	
1060	1091 6362 03	•	1	Connector	
1070	1091 6362 10	•	1	Connector	
1080	1091 6362 02	•	1	Connector	
1090	1091 6364 27	•	7	Terminal	
1100	1091 6364 62	•	31	Terminal	
1110	1091 6362 49	•	1	Connector	
1120	1091 6362 29	•	1	Connector	
1130	1091 6362 30	•	1	Connector	
1140	1091 6362 13	•	1	Connector	
1150		•	2	Fuse	
	1089 0612 25			50Hz IEC	
	1089 9168 27			60Hz CSA/UL	
1160	1091 6365 01	•	2	Fuse holder	
1170		•	1	Circuit breaker	
	1091 6369 11			50Hz IEC	
	1089 9203 38			60Hz CSA/UL	
1180		•	2	Circuit breaker	
	1091 6369 04			50Hz IEC	
	1089 9203 36			60Hz CSA/UL	
1190		•	1	Circuit breaker	
	1091 6369 10			50Hz IEC	
	1089 9203 34			60Hz CSA/UL	
1200		•	2	Circuit breaker	
	1091 6365 23			50Hz IEC	
	1089 9203 31			60Hz CSA/UL	
1210	1091 6378 28	•	1	Contactor	
1220	1091 6378 27	•	1	Contact block	
1230		•	1	Relay	
	1089 9438 02			50Hz IEC	
	1089 9438 03			60Hz CSA/UL	
1240	1091 9393 51	•	1	Emergency stop button	
1250	1091 6363 50	•	2	Contact block	
1260		•	1	Trafo	
	1091 6376 52			50Hz IEC	
	1089 9436 08			60Hz CSA/UL	
1270	1091 6367 97	•	1	Trafo	
1300	1621 4047 00	•	1	Mounting plate	

24 Service kits

Ref.	Part number	Qty	Name	Remarks
	2906 0199 00	**2**	**Oil filter kit (for max 10bar)**	
	0653 1046 00 •	1	Flat gasket	
	0653 1100 00 •	1	Flat gasket	
	0661 1000 25 •	6	Seal washer nipple	
	0661 1000 27 •	3	Seal washer	
	0661 1000 29 •	1	Seal washer	
	0661 1000 30 •	1	Seal Washer	
	0661 1000 31 •	1	Oil filler plug washer	
	1614 7273 99 •	3	Oil filter element	
	2906 0201 00	**2**	**Min. pressure valve kit**	
	0663 2106 58 •	1	O-ring	
	1614 7279 00 •	1	Washer	
	1619 6199 00 •	1	Sealring	
	2254 9215 00 •	1	Lockplate	
	2906 0432 00	**1**	**Seal washer kit**	
	0653 1041 00 •	6	Flat gasket	
	0653 1062 00 •	8	Flat gasket	
	0653 1100 00 •	3	Flat gasket	
	0653 1124 00 •	6	Flat gasket	
	0653 1254 00 •	4	Flat gasket	
	0653 1293 00 •	5	Flat gasket	
	0661 1000 24 •	4	Seal washer	
	0661 1000 25 •	15	Seal washer	
	0661 1000 26 •	8	Seal washer	
	0661 1000 27 •	12	Seal washer	
	0661 1000 29 •	4	Seal washer	
	0661 1000 30 •	5	Seal washer	
	0661 1000 31 •	5	Seal washer	
	0661 1000 32 •	2	Seal washer	
	0661 1000 33 •	3	Seal washer	
		2	**Cooler kit GA315/400**	
	1092 0147 00 •	8	O-Ring	
	1092 0147 00 •	4	O-Ring	
		2	**Cooler kit GA450/500**	
	1617 5101 00 •	8	O-Ring	
	0663 2103 31 •	4	O-Ring	
	2906 0586 00	**2**	**Oil filter kit for 13 bar(e) unit**	
	0661 1000 25 •	6	Seal washer	
	0661 1000 27 •	1	Seal washer	
	0661 1000 29 •	1	Seal washer	
	0661 1000 31 •	1	Seal washer	
	0661 1000 30 •	1	Seal washer	
	1614806599 •	3	Oil filter element	

Ref.	Part number	Qty	Name	Remarks
	2906 0591 00	**1**	**Kit for flexmaster joint on oil separator**	
	0291 1114 00 •	2	Locknut	
	0306 2000 10 •	4	Washer	
	1614 8926 00 •	4	Absorber	
	1614 9513 00 •	2	Rubber joint	
	2906 0693 00	**2**	**Check valve kit**	
	0661 1000 30 •	1	Seal washer	
	0663 2102 89 •	1	O-ring	
	0663 2111 58 •	1	O-ring	
	0663 2111 66 •	3	O-ring	
	0663 2106 58 •	1	O-ring	
	0663 2109 68 •	1	O-ring	
	1614 8977 00 •	1	Check valve	
	1614 8978 00 •	1	Spring	
	2906 0694 00	**2**	**Oil stop valve kit**	
	0663 2111 67 •	1	O-ring	
	0663 2106 18 •	1	O-ring	
	0663 2106 57 •	1	O-ring	
	1614 8979 00 •	1	Spring	
	2906 0588 00	**2**	**Oil separator element kit**	
	0663 2106 19 •	1	O-ring	
	0663 2109 45 •	2	O-ring	
	1621 9521 99 •	1	Oil separator element	
	0663 2106 20 •	1	O-ring	
	2906 0591 00 •	**1**	**Flexmaster joint kit**	
	2906 0769 00	**1**	**Compressor element overhaul kit**	
	0101 1951 67 •	2	Stud	
	0211 1407 00 •	6	Cap screw	
	0508 1100 87 •	2	Bearing	
	0663 2111 41 •	1	O-ring	
	1079 5081 10 •	1	Bearing set	
	1079 5081 11 •	1	Bearing set	
	1616 7072 00 •	1	Wave spring set	
	1616 7074 00 •	1	Bushing	
	1616 7134 00 •	1	Wave spring set	

Ref.	Part number	Qty	Name	Remarks
	2906 0770 00	**1**	**Air/oil filter kit (for max 10bar)**	
	2906 0199 00 •	2	Oil filter kit	
	1621 5742 99 •	3	Air filter element	
	2906 0771 00	**1**	**Air/oil filter kit (for 13 bar(e) unit)**	
	2906 0586 00 •	2	Oil filter kit	
	1621 5742 99 •	3	Air filter element	
	2906 0772 00	**1**	**Unloading valve service kit**	
	0661 1000 31 •	1	Seal washer	
	0663 2103 22 •	2	O-ring	
	1621 2221 00 •	1	Seal	
	1621 2222 00 •	1	Bearing	
	1621 2225 00 •	1	Seal	
	1621 2226 00 •	1	Seal	
	1621 2227 00 •	1	Bearing	
	2906 0773 00	**1**	**Drive shaft sealring kit**	
	0663 2106 16 •	1	O-ring	
	0663 2107 24 •	1	O-ring	
	1621 2123 00 •	1	Bushing	
	1621 4835 00 •	1	Seal	
	2906 0774 00	**1**	**RH compressor element installation kit (right seen from the element side)**	
	0211 1409 00 •	3	Cap screw	
	0337 0009 46 •	1	Key	
	0663 2102 89 •	1	O-ring	
	0663 2103 22 •	1	O-ring	
	0663 2106 10 •	3	O-ring	
	0663 2106 16 •	1	O-ring	
	0663 2111 58 •	1	O-ring	
	0663 2111 65 •	1	O-ring	
	0663 2111 66 •	3	O-ring	
	1621 0424 00 •	1	Seal	
	1621 2207 00 •	1	Bushing	
	1621 2210 00 •	1	Gasket	
	2906 0775 00	**1**	**LH compressor element installation kit (left seen from the element side)**	
	0211 1409 00 •	3	Cap screw	
	0337 0009 46 •	1	Key	
	0663 2102 89 •	1	O-ring	
	0663 2103 22 •	1	O-ring	
	0663 2107 82 •	1	O-ring	
	0663 2111 58 •	1	O-ring	
	0663 2111 65 •	1	O-ring	
	0663 2111 66 •	3	O-ring	

Ref.	Part number	Qty	Name	Remarks
	2906 0776 00	**1**	**Gearbox overhaul kit**	
	0211 1480 00 •	10	Cap screw	
	0506 0100 15 •	1	Bearing	
	0506 0100 16 •	1	Bearing	
	0663 2109 74 •	1	O-ring	
	2906 0777 00	**1**	**4000 hrs maintenance kit (for max 10 bar(e) units)**	
	0661 1000 30 •	2	Seal washer	
	0663 2102 89 •	2	O-ring	
	0663 2106 58 •	2	O-ring	
	0663 2109 68 •	2	O-ring	
	0663 2111 58 •	2	O-ring	
	0663 2111 66 •	6	O-ring	
	1614 8978 00 •	2	Spring	
	2906 0201 00 •	**2**	**Min.press. valve kit**	
	2906 0694 00 •	**2**	**Oil stop valve kit**	
	2906 0770 00 •	**1**	**Air/oil filter kit**	
	2906 0887 00	**1**	**8000 hrs maintenance kit (for max 10 bar(e) units)**	
	0663 2107 77 •	2	O-ring thermostatic valve	
	2906 0201 00 •	2	Min. pressure valve kit	
	2906 0693 00 •	**2**	**Check valve kit**	
	2906 0694 00 •	**2**	**Oil stop valve kit**	
	2906 0588 00 •	**2**	**Oil separator element kit**	
	2906 0770 00 •	**1**	**Air/oil filter kit**	
	2906 0772 00 •	**2**	**Unloading valve kit**	
	2906 0884 00	**1**	**4000 hrs maintenance kit (for max 13 bar(e) units)**	
	0661 1000 30 •	2	Seal washer	
	0663 2102 89 •	2	O-ring	
	0663 2106 58 •	2	O-ring	
	0663 2109 68 •	2	O-ring	
	0663 2111 58 •	2	O-ring	
	0663 2111 66 •	6	O-ring	
	1614 8978 00 •	2	Spring	
	2906 0201 00 •	**2**	**Min.press. valve kit**	
	2906 0694 00 •	**2**	**Oil stop valve kit**	
	2906 0771 00 •	**1**	**Air/Oil filter kit for 13bar**	
	2906 0889 00	**1**	**8000 hrs maintenance kit (for max 13 bar(e) units)**	
	0663 2107 77 •	2	O-ring thermostatic valve	
	2906 0201 00 •	2	Min. pressure valve kit	
	2906 0693 00 •	**2**	**Check valve kit**	
	2906 0694 00 •	**2**	**Oil stop valve kit**	
	2906 0588 00 •	**2**	**Oil separator element kit**	
	2906 0771 00 •	**1**	**Air/oil filter kit**	
	2906 0772 00 •	**2**	**Unloading valve kit**	
	2906 0888 00	**1**	**Overhaul kit for max 10 bar**	
	2906 0890 00	**1**	**Overhaul kit for 13 bar**	

Notes:

What sets Atlas Copco apart as a company is our conviction that we can only excel in what we do if we provide the best possible know-how and technology to really help our customers produce, grow and succeed.

There is a unique way of achieving that - we simply call it the Atlas Copco way. It builds on **interaction**, on long-term relationships and involvement in the customers' process, needs and objectives. It means having the flexibility to adapt to the diverse demands of the people we cater for.

It's the **commitment** to our customers' business that drives our effort towards increasing their productivity through better solutions. It starts with fully supporting existing products and continuously doing things better, but it goes much further, creating advances in technology through **innovation**. Not for the sake of technology, but for the sake of our customer's bottom line and peace-of-mind.

That is how Atlas Copco will strive to remain the first choice, to succeed in attracting new business and to maintain our position as the industry leader.

No. 1092 0299 00 / DC 2007-01

